INSTRUMENTS AND EXPERIMENTAL TECHNIQUES
Volume 15, Numbers 1-6, 1972
(A translation of Pribory i Tekhnika Éksperimenta)

Volume 15, Number 1, Part 1 January-February, 1972

	Engl.	Russ.
Spectrometry of Soft Gamma and X Radiation Using Semiconductor Detectors (Review) —S. A. Baldin and L. M. Ioannesyants	1	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Frequencies of Coherent Transverse Oscillations in the Electronic Model of a Ring Cyclotron —V. A. Kochkin, D. L. Novikov, and L. M. Onishchenko	24	31
Measurement of the Lifetimes of the Excited States of Nuclei in the Nanosecond Range Using the Beam of the U-300 Heavy-Ion Cyclotron—U. Hagemann, W. Neubert, F. Stary, and W. Schulze	27	34
The Debuncher of the Injector of the Joint Institute of Nuclear Research Synchrophasotron *Having Modulation of the Accelerated-Beam Energy—Yu. D. Beznogikh, L. P. Zinov'ev,* R. B. Kadyrov, Yu. K. Karyagin, N. N. Plyashkevich, V. A. Popov, I. N. Semenyushkin, *and V. L. Stepanyuk*	*30*	*37*
Construction of the Current-Conducting Plate of Septum-Magnets—Yu. G. Globenko *and Yu. Ya. Lapitskii*	*33*	*39*
Concerning the Cause of the Appearance of an Electronic Load in Accelerator Tubes of *Electrostatic Accelerators*—F. G. Zheleznikov, N. M. Yakovlev, Ya. T. Bersenev, and V. F. Garenkov	36	41
Centrifugal Method of Fabricating Accelerator Tubes—A. P. Solodovnikov	*39*	*44*
Electromagnetic Separation of Short-Lived Isotopes of Radon, Xenon, and Krypton —V. P. Afanas'ev, I. I. Gromova, D. Monchka, and V. I. Ryko	41	45
Neutron-Selector Phase Stabilizer—D. Orban and F. Slavik	44	48
Semiconductor Soft-Electromagnetic-Radiation Spectrometer Having a Resolution of 550 eV —S. M. Solov'ev, A. N. Smirnov, L. I. Tyvin, and V. P. Éismont	49	52
Gamma-Resonance Constant-Velocity Spectrometer with Normalization from a Reference Measurement—B. G. Egiazarov and A. I. Shamov	53	55
Determination of the Fraction of π^-p-Interaction in a Heavy-Liquid Bubble Chamber with a Magnetic Field—I. I. Vorob'ev, L. S. Novikov, and N. N. Shishov	58	58
Shower Efficiency of Spark Chambers—S. M. Korenchenko, G. V. Mitsel'makher, and K. G. Nekrasov	61	60
Stabilization of the Dimensions of the Raster of a Measurement Television Automaton *—V. A. Klevalin, A. V. Petrakov, and V. I. Gorelova*	*64*	*63*
Multichannel System for Recording Neutrons Using a Line with an Electronic Computer *—V. M. Bystritskii, V. P. Dzhelepov, P. F. Ermolov, K. O. Oganesyan,* M. N. Omel'yanenko, S. Yu. Porokhovoi, and V. V. Fil'chenkov	67	65
Effect of Reduction Reactions on tee Threshold Sensitivity of Nuclear Photographic Emulsions —V. I. Kalashnikova and B. D. Lemeshko	71	69
Precision Monitoring of Neutrons from the TD- and DD-Reactions—E. A. Andreev, V. V. Blazhenkov, S. P. Sit'ko, and V. A. Shevchenko	73	72

ELECTRONICS AND RADIO ENGINEERING

Use of an RFK-5 Photographic Camera in the Start-Stop Mode—A. O. Agan'yants, G. A. Vartapetyan, V. D. Danielyan, G. Kh. Kazaryan, A. G. Khudaverdyan, and L. S. Khurshudyan 76 75

Correlation Processing of Isolated Peaks on Multichannel Spectra—B. G. Egiazarov, Yu. P. Seld'yakov, and R. P. Selyutin 78 76

Multithreshold Logic Elements with Several Ouputs—V. I. Davydov 83 80

Fast Logic Blocks Based on Integrated Elements—V. M. Aul'chenko, Yu. V. Korshunov, and A. G. Khabakhpashev 87 83

Coding of Information for Transmission from a Register into a Storage Device—N. I. Zhuravlev, A. S. Kuznetsov, and A. N. Sinaev 90 86

Compact Memory—V. A. Obshivalov, A. A. Rostovtsev, and Yu. V. Shein 93 89

Linear Detector for a Parallel-Acting Digital Spectrum Analyzer—P. P. Shklyarenko and V. E. Yamnyi 97 92

Contactless High-Speed Commutator Having a Low Noise Level—M. Kh. Blikh 99 94

One-Transistor Compensated Switch—A. S. Krys'ko 102 96

Highly Stable Relaxation Oscillators Based on Avalanche Transistors—V. P. D'yakonov 105 98

Broadband Flipflop with Short Recovery Time—Yu. G. Budyashov, V. G. Zinov, and V. M. Korolev 108 101

Multichannel Time Generator Based on Decatrons—V. A. Arkhipovich 111 103

Generator Producing Staircase-Sawtooth Pulses—I. I. Zadubovskii, and B. N. Krasnogolovyi 114 106

Simulator of an Arbitrary Time Spectrum of Pulses—K. G. Finogenov and I. S. Markina 116 107

Multichannel Nanosecond-Range Pulse Shaper—A. P. Nagibin and O. M. Bakhtin 118 110

Shaper with a Follow-Up Threshold, Which is Designed for Increased Loadings—E. A. Meleshko 120 112

Nanosecond-Signal Integrator with Control—Yu. G. Budyashov, V. G. Zinov, and B. S. Krasnoborodov 123 114

Dynamic Display of Integrated Decade Dividers on Digital Gas-Discharge Tubes—Yu. V. Rodnov and A. N. Sytin 126 116

Shorting a Pulsed Solenoid by Means of Semiconductor Diodes—A. N. Doroshenko and I. M. Raevskii 128 118

Network for Fast Commutation of Large Currents in an Inductive Storage Device—V. G. Artyukh, L. G. Lisenko, and S. A. Smirnov 130 119

Transistorized Logarithmic-Response Amplifier—V. T. Polyakov 132 120

Transistor dc Amplifier with a High Input Resistance—A. P. Budennyi and M. B. Vladimirskii 134 122

Semiconductor Integrating Pulse-Frequency dc Converter—E. A. Kalinin, V. A. Karpovskii, V. P. Komlev, and V. G. Chernov 138 125

Stabilized Thyristor Converter with Digital Control—O. A. Gusev, S. Ya. Kolesov, and A. A. Tunkin 142 128

Digital Spin-Echo Signal Meter—P. G. Zykov, A. S. Rasponin, and P. E. Suetin 144 130

ERRATA 146

Volume 15, Number 1, Part 2 January-February, 1972

Sensitivity of Nuclear Magnetic Resonance Signal Pickups Having a Low Resolution—I. P. Amiton, V. O. Zavel'skii, and É. I. Fedin 147 131

Attenuation of Modulation Noise in a Nuclear Magnetic Resonance Spectrometer—N. I. Shpin'kov 149 133

Use of a Receiver with a Follow-Up Heterodyne in a Radio-Spectrometer Having Frequency Modulation—L. I. Dzhordzhishvili and T. L. Kalabegishvili 152 135
Simple Method of Stabilizing the Power of a Submillimeter Spectrometer—G. N. Gol'tsman 154 136
Broadband Correlometer with a Multiplication Block Based on Vacuum Thermal Transducers —V. I. Sazanov 156 137
Automatic Recorder for Slowly Varying Voltages—N. N. Balamatov, Yu. V. Berezin, and V. A. Kiselev 160 140
Application of Light-Emitting Diode Matrices in Measurement Engineering—A. A. Kal'nin and Yu. M. Tairov 163 143
Unit for Investigating the Optical and Electrical Characteristics of Nanosecond Breakdown of Condensed Media—V. V. Lopatin and V. Ya. Ushakov 165 144
Current Stabilizer for the Electromagnet of a Nuclear Magnetic Resonance Spectrometer —B. S. Romanov 168 147

GENERAL EXPERIMENTAL TECHNIQUES

Improving the Vacuum Conditions in Testing Charged-Particle Accelerators in Test Benches —V. G. Pankratov, L. M. Piskalov, S. N. Ogorodnikov, R. V. Orlov, and V. N. Belinskii 170 149
Controllable Vacuum Bleeder—L. N. Rozanov, V. M. Lebedev, I. K. Meshkovskii, and Ya. N. Tinyakov 173 151
Modulation of the Flow of Trial Gas During Leakage Detection—V. A. Sagaidachnyi and V. V. Ivanov 177 154
Time of Flight of Electrons in a Photomultiplier—V. V. Kovalev, F. M. Subbotin, and E. I. Shubnikov 182 158
Time and Threshold Characteristics of a FÉU-85 Photomultiplier—I. R. Gulakov 184 160
Noise Characteristics of a FÉU-86 Photomultiplier—A. E. Melamid, A. M. Potapov, and G. Z. Kuptsova 186 162
Nature of the Radiation Current and the Choice of the Optimal Dimensions of the Entry Chamber of Photomultipliers Operating in Gamma-Fields—Nguyen Kuang Minh, A. M. Lutsko, and A. N. Pertsev 190 165
Characteristics of Spiral Channel Multipliers—N. A. Krasil'nikova, N. M. Persiantseva, and L. G. Talashov 194 168
Powerful Single-Pulse One-Mode Neodymium Laser Which Has Frequency Stabilization —V. I. Eremin, V. A. Kolosov, and L. V. Norinskii 196 170
Coaxial Flashlamp for Pumping of Solutions of Organic Dyes—M. I. Dzyubenko, A. Ya. Matveev, and I. G. Naumenko 198 171
Use of an OLMSh-100M Electrooptical Light Modulator Having Nonlaser Light Sources —A. Yu. Borisov, A. I. Gorelik, and A. V. Fal'tsman 201 174
Laws Governing the Noise Distribution of Optical Receivers Using Avalanche Photodiodes —V. A. Kudryashov, I. N. Matveev, A. A. Nosov, and S. M. Pshenichnikov 204 177
Photoelectric Stabilized Interferometer for the Investigation of Amplitude-Frequency Responses of Piezotransducers—V. L. Vlasov and A. N. Medvedev 206 179
Measurement of the Displacements of a Metal during the Process of Magnetic-Pulse Treatment —V. P. Epechurin and V. M. Petrov 209 181
Tap for Controlling the Motion of the Plunger of a Hydraulic Press Producing Pressures up to 2 kbar—S. A. Smirnov, É. N. Ran, and M. S. Pan'kov 211 183
Unit for Investigating Phase Transformations under a Pressure of up to 40 kbar in the 2-400°K Range—A. V. Alyumov, V. N. Laukhin, A. G. Rabin'kin, and S. A. Smirnova 214 185
Electronic Auger-Spectrometer Which Is Combined with a System for the Diffraction of Low-Energy Electrons—A. Yu. Mityagin, N. Ya. Cherevatskii, A. L. Aleksandrov, G. D. Balandin, and N. S. Korol'kov 217 187
High-Temperature Attachment to an X-Ray Diffractometer—Yu. A. Kocherzhinskii and V. V. Pet'kov 221 191
Device for the Visualization of Pulsed X Radiation—L. Ya. Antonenko, V. V. Vedyushkina, N. A. Kolosov, É. M. Kurashov, and V. G. Tsukerman 225 195

Use of an Image Converter for Visualization of Small-Angle X-Ray Scattering Patterns —M. M. Butslov, Ya. V. Genin, V. I. Gerasimov, A. M. Dorfman, and D. Ya. Tsvankin 230 199
Instrument for Investigating the Photodielectric Effect in Semiconductors—P. S. Gladkov, V. B. Ginodman, V. G. Zhurkin, N. A. Penin, and A. B. Fradkov 233 201
Measurement of the Resistivity of Semiconductors by Means of Eddy Currents —Yu. M. Vernigorov and A. M. Fedulov 235 203
Device for Measuring the Relaxation Time in Semiconductor Diodes and p—n Junctions —V. S. Blagoveshchenskii and G. Kh. Zyryanov 237 205
Transparent Ohmic Contacts with A^2B^6 Photoconductors—Ya. I. Vertsimakha and G. A. Zholkevich 240 207
Thermostat for High-Frequency Measurements—A. G. Dmitriev and B. V. Tsarenkov 242 208
Liquid Column with a Stepped Density Variation—M. Ya. Kats 244 209
Attachment to an Autoionic Projector for the Investigation of Thin Films—R. I. Garber, V. I. Afanas'ev, B. I. Lewandowski, and H. I. Pruger 246 211
Method of Determining the Thickness of Films Which Have Been Deposited on a Transparent Substrate—B. M. Gol'tsman and S. F. Sinenko 248 212
Measuring the Thickness of Thin Films—R. L. Fogel'son, Ya. A. Ugai, and A.V. Pokoev 250 213
Heating of Indium Films by an Electron Beam—B. T. Boiko, A. T. Pugachev, and V. M. Bratsykhin 253 215
Foils and Films of Thallium Isotopes for Nuclear Research—T. S. Nazarova and A. A. Rozen ... 255 217
Unit for Measuring the Internal Friction and Electrical Resistance of Thin Foils in the Temperature Range 4.2 to 300°K—V. E. Miloshenko, I. V. Zolotukhin, and V. S. Postnikov 256 218
Vacuum Sealing of Cryogenic Installations—V. A. Beketov, G. V. Beketov, and N. S. Shatlovskaya 259 221
Low-Temperature Vacuum-Tight Current Input Lead—A. M. Maznitsa and V. V. Tsybul'skii .. 261 223
Axial Seal for Deep-Cooling Systems—B. M. Kaporovskii and M. V. Voevodskaya. 263 224
Vacuum-Tight Attachment of Windows Made of Fluoride Crystals to Glass Vessels —L. P. Shishatskaya 265 225

ABSTRACTS

Shape of the Line of a ^3He-Spectrometer at Neutron Energies above 1 MeV —L. F. Andreeva, A. G. Konyushkov, A. K. Savinskii, I. V. Filyushkin, and O. N. Chernova 267 227
Use of Ge(Li) Detectors Having a Large Volume in Coincidence Spectrometers—A. S. Aloev, M. A. Vartanov, Yu. E. Kazakov, and Yu. N. Stugarev 269 228
Coding System of a Television Installation for Filmless Photographing of Information from Track Chambers—V. V. Koshtoev 271 228
Calorimetric Microwave Power Meter—V. F. Terekhov 273 229
Multichannel System for Pulsed Supply of R-0 and RT-2 Magnetic Traps —A. M. Abzianidze, Yu. P. Venediktov, A. Z. Rakhel'kin, V. N. Rybin, and M. A. Stotland 274 230
Operation of Controlled Spark Gaps for a High Resolution Frequency of Powerful Current Pulses —E. P. Bel'kov 275 230
Characteristics and Stability of Open-Channel Electron Multipliers as Charged-Particle Pickups —N. M. Shyutte, L. P. Smirnova, I. I. Pervushin, L. A. Grechanik, V. I. Panovkina, and Yu. N. Ul'ko 277 232
Differential Automatic Microcalorimeter—L. N. Gal'perin, L. B. Mashkinov, and Yu. R. Kolesov 279 233
Gryogenic Collectorless Magnetoelectric dc Motor—I. D. Kolodeev 281 234

REVIEWS OF INSTRUMENTS

Secondary-Electron Multiplier for a MI-1305 Mass-Spectrometer—V. G. Ustinov and V. I. Svachko 283 236

Multiple-Reflection Attachment for the UR-10 and UR-20 Spectrophotometers—N. I. Egorenkov, V. A. Grozhik, and V. G. Rodnenkov 285 237
Sectoral Device for an ÉG-100A Electron-Diffraction Camera—I. Hargittai, J. Hernadi, and M. Kolonits 287 239
NEW INSTRUMENTS 290 241
APPENDIX .....

Volume 15, Number 2, Part 1 March-April, 1972

Semiconductor Gamma-Spectrometer with Suppression of the Compton-Scattering Contribution (Review)—V. I. Shipilov 305 7

NUCLEAR EXPERIMENTAL TECHNIQUES
Separatrix of Coherent Phase Oscillations in an Accelerator with Allowance for the Voltage Induced by the Beam—S. A. Heifets 319 20
Ion Source for Radioactive Elements—A Piotrowski, V. I. Raiko, and H. Tyrroff 323 23
Chopper-Monochromator for Cold Neutrons, Which Has a Large Cross Section of the Package of Slits—Yu. L. Shitikov, M. G. Zemlyanov, I. V. Naumov, and N. A. Chernoplekov 327 26
Target for Precision Measurements of Cross Sections for the Interaction of Particles with Protons and Deuterons—Yu. P. Gorin, S. P. Denisov, A. A. Mitin, D. A. Stoyanova, and V. V. Sytnik 330 29
Investigation of Single Production of π^+-Mesons on a Complex Target—V. A. Avdeev, R. A. Belyalov, V. D. Epaneshnikov, V. M. Kuznetsov, E. V. Repenko, and O. I. Stukov 333 32
Receiving Device of a Mass-Separator for Investigating Short-Lived Isotopes—A. T. Vasilenko, I. Mahunka, Z. Maté, I. Nagy, V. M. Soroko, N. S. Stancheva, S. M. Stanchev, V. A. Utkin, and T. Fényes 336 34
Automation of Readout of Film Information on SAOS Installations—Yu. V. Ovsov and Yu. G. Noskov 339 37
Ion-Doped Semiconductor Spectrometric Detector—V. G. Vinogradova, I. G. Gverdtsiteli, A. I. Guldamashvili, and V. B. Golubkov 343 41
Proportional Counter with a Movable Insulator for Absolute Measurements of the Activity of Nuclides in Gases—V. I. Albul and V. G. Baranov 346 43
Dependence of the Energy Resolution of the Proportional Counter on the Gas Multiplication Factor—D. A. Goganov, A. N. Zhukovskii, N. I. Komyak, V. S. Ponomarev, and N. B. Tsvetova 349 45
Efficiency of Neutron Counters Having a Gas Radiator—Yu. M. Tolchenov and V. G. Chaikovskii 351 47
Dosimetric Characteristics of Photoresistors—V. V. Sidorenko, V. N. Demidovich, V. V. Soroka, A. V. Sidorenko, and S. A. Zharkov 353 49
Effect of Noise and Temperature on the Counting Characteristics of Scintillation Counters—N. S. Pronkin and V. V. Khakhalin 357 52

ELECTRONICS AND RADIO ENGINEERING
Electronic Equipment for Measuring the Ratio between the Cross Sections of Fast-Neutron Radiative Capture and Fission—E. D. Poletaev, V. N. Kononov, and M. V. Bokhovko 361 55
Automatic Unit for Measuring the Characteristics of Amplitude-Digital Converters—N. K. Lastochkin, I. I. Gracheva, and I. I. Tkach 365 59
Time-Digital Converter—V. M. Grebenyuk and V. G. Zinov 369 62

Scaling Decade Operating at 120 MHz—Yu. V. Rodnov	373	65
Scaling Decade with an Improved Noise Immunity—V. G. Rybakov	376	68
Economical Decimal Counter Based on Integrated Logic Elements—A. A. Klimashov and B. I. Khazanov	379	70
Decimal Counter Which Operates on the Current-Distribution Principle—V. I. Pautov	381	71
Calculation of the Distortions of the Amplitude Distribution of Rectangular Pulses due to Random Superpositions—A. K. Gribkov	384	74
Pulse Shaper with Differentiation at Its Input—E. A. Meleshko	387	76
Converter for Converting a Bipolar Random Signal into a Unipolar One with Simultaneous Gating—P. P. Shklyarenko and V. E. Yamnyi	390	78
Device for Normalizing the Amplitude of a Random Signal—M. V. Komar and V. E. Yamnyi	393	81
Shaper Which Produces Intervals between Neighboring Extrema of Random Processes—A. V. Blokhin	396	83
Multivibrators and Triggers Based on Avalanche Transistors—V. P. D'yakonov	398	85
Generator Producing Paired Infra-Low-Frequency Pulses—V. A. Khristyuk and V. N. Nasledkov	403	89
High-Voltage Generator Producing Single Nanosecond Pulses across a Variable Load—V. I. Manylov	406	91
Generator with Amplitude and Length Stabilization of the Pulse for Supplying a Streamer Chamber—N. S. Rudenko and V. I. Tsvetkov	409	94
Automatic Initiation and Streak Photography of the Oscillograms of High-Voltage Electrical Discharges—V. P. Lopatyshkin, M. L. Varlamov, and A. A. Plotnikov	412	97
Operation of a Rogowski Loop in Measuring the Currents of Pulsed Beams Having a Nanosecond Duration—S. B. Vasserman	415	99
Photoelectronic Channel with Stabilization of the Range of Variation of the Output Signal—G. A. Aver'yanov, I. N. Safronov, B. M. Savichev, and A. S. Egorov	420	103
DC Amplifiers for the Microampere and Nanoampere Range—L. S. Gorn, L. S. Zhurina, and B. I. Khazanov	423	105
Utilization of a Piezosemiconductor Transducer in the Input Circuits of DC Amplifiers—R. G. Dghagupov and T. A. Melik-Shakhnazarova	426	108
Digital Phase-Meter for a Phase-Shift Fluorometer—A. I. Gorelik and A. V. Fal'tsman	428	109
Speed of Response of a Frequency Divider Based on Schmitt Triggers—V. V. Marchenko and B. A. Ivanov	431	111
Cascaded Multipliers with Output Frequencies in the 55 to 120 GHz Range—B. I. Navrotsky, L. A. Voronina, A. S. Berlin, V. P. Voronenko, and A. A. Wiesel	434	114
Autodyne Radio-Spectrometer for the 2-mm Range Based on a Tuned Backward-Wave Tube—E. M. Gershenzon, A. A. Negirev, and B. N. Tumanov	436	115
Follow-Up Spin-Generator—S. S. Batalin	439	118
Autodyne Spin Generator and Its Application in Proton Stabilizers of NMR Spectrometers—Yu. S. Konstantinov and A. M. Smirnov	442	120
Electronic Counter for Radio-Spectroscopy and Magnetic Measurements—É. V. Dvornikov and É. G. Mikhal'tsov	446	123
System for Two-Coordinate Digital Recording of Broad NMR Lines—B. D. Zil'berman, B. A. Malevanyi, N. K. Moroz, and N. S. Poleshchuk	450	126
Magnetic-Field Sweep According to the Signal from a Multichannel Storage Device—V. P. Zelenin, V. M. Pudalov, Yu. G. Svetlov, and A. T. Mikhailovskii	454	130

Volume 15, Number 2, Part 2 March-April, 1972

Capacitive Device for Storing an NMR Signal—M. M. Karliner, V. I. Kushnir, and A. S. Medvedko 457 132
Measurement of the Frequency of a Nuclear Quadrupole Resonance (NQR) Signal in a Pulsed Radio-Spectrometer—B. N. Pavlov and V. M. Prokopenko 459 133
RF-Voltage Controller Based on Thermistors—L. R. Notkin and V. V. Marchenko 462 136
Meter for Measuring the Q of Varicaps—V. K. Kamuz and V. Z. Lubyanyi 463 137
Modulation of the Transmission Factor of Resistive Dividers in Measuring a High DC Voltage—K. L. Grudev 465 138

GENERAL EXPERIMENTAL TECHNIQUES

Display of a Region of a Calibration Curve for an MI-10 Ionization Converter —E. A. Penchko and L. P. Khavkin 468 141
Device for Measuring the Accelerating Voltage in Cathode-Ray Instruments —Yu. M. Kushnir, N. V. Alekseev, P. P. Barzdain, and V. V. Il'in 471 143
Increase in the Vacuum Dielectric Strength between Electrodes Which Have Been Irradiated by Helium Ions—Yu. M. Khirnyi and A. P. Solodovnikov 473 144
Efficiency of Ion Focusing of Intense Electron Beams of Short Duration—V. M. Levin, I. A. Prudnikov, V. V. Rumyantsev, K. P. Rybas, and B. N. Telepaev 475 146
Electron Emission as a Result of the Passage of High-Energy Electrons through Thin Foils —V. I. Vit'ko, G. D. Kovalenko, and V. A. Stratienko 478 148
Negative-Ion Source—A. Kh. Ayukhanov and V. N. Chernenko 480 150
Ultra-High-Vacuum Heated Inlet—K. D. Danilov 482 151
Vacuum Lock—M. I. Dmitryuk and A. D. Runov 485 154
Vacuum-Tight Gluing of Plastic to Stainless Steel—G. O. Meshki and V. B. Sidorov 488 158
High-Frequency Magnetic Modulation of the Photocurrent of a Photomultiplier —Yu. V. Popov and B. I. Utenkov 490 158
Network for Automatic Control of the Output Current of a Photomultiplier —G. D. Petrukhin and B. M. Porodin 493 160
Operation of Photocells and Photomultipliers in a Beam of Linearly Polarized Light —V. I. Markov and N. K. Smirnov 495 162
Estimation of the Temperature of the Electrodes of Gas-Discharge Light Sources —Yu. G. Basov and V. A. Kanunnikov 497 163
Vessel for Spectrophotometric Investigations of the Kinetics of Chemical Reactions at High Pressures—G. P. Shakovskoi, B. S. Él'yanov, and N. I. Prokhorova 498 164
Apochromatic Path-Difference Compensator for Automatic Interferometers —K. A. Khalilulin and I. Sh. Étsin 501 167
Laser Based on Dyes Having a Spiral Pumping Lamp—A. V. Aristov, M. Yu. Vorob'ev, D. A. Kozlovskii, and V. M. Podgaetskii 504 169
Spectrometers for the Analysis of the Radiation from He + Ne-Lasers—V. G. Gol'dort, V. N. Puchkov, and A. K. Toropov 506 171
Optico-Acoustic Modulator for Lasers—A. P. Arapov, V. M. Arpishkin, V. V. Lyubchenko, V. R. Muratov, and Yu. K. Sidorenko 509 173
Electro-Optical Shutter with Synchronization by Laser Radiation—G. V. Sklizkov and S. I. Fedotov 512 176
Driven High-Voltage Nanosecond Pulse Generator Triggered by Laser Radiation —V. Yu. Pertrun'kin, L. N. Pakhomov, and P. A. Andreev 515 178
Use of the Printout Device of an Electronic Computer for the Output of Synthesized Amplitude Holograms—I. Ya. Kabo 518 181
Unit for Performing Magneto-Optical Investigations at Low Temperatures —V. T. Agekyan, V. V. Il'in, I. N. Timchenko, and I. P. Shiryapov 520 182

Superconducting Magnet Having a Saddle-Shaped Winding—V. V. Sychev, V. B. Zenkevich, and V. A. Al'tov	523	185
Measurement of the Field Nonuniformity of Magnets Having Small Gaps —Ya. I. Rozenberg	526	187
Measurement of the Attenuation of Ultrasound in Dielectrics by the Method of Exciting Electrostrictive Vibrations—É. V. Bursian, M. B. Grinbaum, V. I. Gol'dreer, R. Kh. Kalimullin, N. V. Pravilova, and V. V. Shapkin	528	189
High-Pressure Liquid Separator—D. S. Mirinskii and Ya. I. Shurin	530	190
Valve Operating at 2 kbar—D. S. Mirinskii and Ya. I. Shurin	531	192
Reverse Valve Which Operates up to 20 kbar—D. S. Mirinskii and Ya. I. Shurin	533	193
"Quantum" Miniature Nanosecond X-Ray Pulse Generator—N. V. Belkin, N. I. Komyak, E. A. Peliks, and V. A. Tsukerman	535	194
Two-Electrode Tube for Generating Nanosecond X-Ray Pulses—N. V. Belkin and É.-G. V. Aleksandrovich	537	196
Cube with a Needle Field-Emission Cathode for Obtaining Nanosecond Pulses of Fast Electrons —N. G. Pavlovskaya and T. V. Kudryavtseva	540	198
Investigation of the Angular and Energy Distributions of Electrons Which Are Freed as a Result of Photoionization of Atoms and Molecules—V. B. Milyaev and F. I. Vilesov	544	201
Experimental Chamber with Field-Emission Microscopes of the Open Type—Yu. S. Lobachev, M. S.Sukonnik, and V. A. Shishkin	547	203
Study of the Structure of the Surface Layer of Crystals—G. M. Malkin, Yu. A. Terman, and N. A. Lineva	550	205
Streak-Camera Method of Improving the Accuracy with Which Single Crystals Are Oriented when the Shadow Effect is Used—V. A. Arkhipovich, V. G. Zlobin, and V. M. Kolyada	553	208
Use of the Anomalous Photovoltage of an Si or Ge Film to Record X-Radiation—U. A. Arifov and N. Abdullaev	556	210
Unit for Investigating the Kinetics of Phase Transitions in Solids—V. I. Zaliva and V. P. Zakharov	558	212
Simple Device for the Observation of Field Nonuniformities in Photosensitive Semiconductors —I. A. Starostin	560	214
Measurement of the Temperature Dependence of the Electrical Conductivity of Ferroelectrics —A. G. Zhdan and E. S. Artobolevskaya	562	215
Measurement of the Individual Components of the Series Resistance of a Phototransducer —E. N. Borovinskaya, A. M. Vasil'ev, and R. I. Chernorutskaya	565	218
Measurement of Small Hall Constants—A. A. Andreev, M. Mamadaliev, and A. I. Shelykh	568	220
Unit for Growing Semiconductor Single Crystals in a Magnetic Field—G. F. Vaiderov	570	221
Cooling of Radio-Electronic Devices—I. B. Talalova, M. E. Gertsenshtein, V. V. Markov, V. V. Roshchin, and A. A. Fedorov	573	224
Low-Temperature Vacuum Tight Electrical Leads—O. P. Anashkin	575	225
Installation for Obtaining Ultrapure Gaseous Hydrogen at a Pressure of up to 50 atm —V. M. Bystritskii, V. P. Dzhelepov, N. I. Doronicheva, P. F. Ermolov, K. O. Oganesan, M. N. Omel'yanenko, S. Yu. Porokhovoi, A. A. Rodina, V. E. Teplov, and V. V. Fil'chenkov	576	226
Ferroelectric Microthermostats—V. P. Gus'kov, N. S. Ermachenkov, and I. V. Ivanov	579	228
ABSTRACTS		
Use of Glue Based on Polyvinylacetate for the Fabrication of Accelerator Tubes —B. V. Mikhailov, I. A. Nizkovskaya, and A. V. Sivkova	582	230
Automated Unit for Measurement of the Angular Anisotropy of the Radiation from Polarized Beta-Active Nuclei—M. I. Bulgakov, A. D. Gul'ko, Yu. A. Oratovskii, and S. S. Trostin	584	231
Device for Controlling a Scanning Automaton (S. A.) for Measurement of Photographs from Track Chambers—V. V. Ermolaev, V. D. Inkin, Yu. A. Karzhavin, and V. F. Rubtsov	586	232

	Engl./Russ.	
Superconducting dc Reluctance Motors—I. D. Kolodeev	588	233
Electron-Diffraction Camera for Slow Electrons—V. M. Artemov, D. V. Iremashvili, and A. I. Shimko	590	234
Pulsed Two-Frequency Nuclear Quadrupole Resonance Spectrometer for the 10 to 400 MHz Range—A. D. Gordeev, V. S. Grechishkin, V. A. Shishkin, and E. M. Shishkin	591	234
REVIEWS OF INSTRUMENTS		
Ion-Source Modulator—L. F. Berzin	593	236
Stabilized Laboratory Microwave Oscillator—B. V. Kagalenko and V. D. Zakharchenko	595	237
Measurement Amplifier for Microvolt Infra-Low-Frequency Signals—Yu. G. Basin, Yu. A. Grits, and V. I. Isachenko	597	238
Synchronous Detector Which Is a Modification of the SD-1—M. T. Kostyshin, M. A. Ruban, and A. G. Shutov	599	240
Extending the Working Range of the VIT-1 Vacuum-Meter—Yu. P. Udoev	602	241
Application of the Knudsen Method in the MSKh-3A Mass-Spectrometer —I. A. Rat'kovskii and A. D. Isichenko	604	243
Attachment to the SF-4 Spectrophotometer for Measurement of the Reflection Spectra of Small Samples—B. F. Bilen'kii and Yu. V. Danilyuk	606	244
Use of an Electron Microscope for Monitoring Field-Emission Emitters and Probes —Yu. P. Boitsov, S. A. Valuiskii, M. V. Konstantinova, and V. I. Prokhorov	608	245
NEW INSTRUMENTS	611	247

Volume 15, Number 3, Part 1 May-June, 1972

Flash-Photolysis Spectrophotometers (Review)—E. N. Tverdokhlebov	621	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Compensation of the Amplitude Nonuniformity of the Magnetic Field of a Betatron —M. R. Aleksandrovskii	631	18
Operation of a Cyclotron in a Mode with a Reduced Repetition Frequency of the Particle Bunches—N. N. Atlaskin, V. V. Okorov, V. M. Serezhin, V. A. Semotryaev, D. L. Tolchenkov, I. S. Trostin, and Yu. N. Cheblukov	634	20
Experimental Characteristics of a Secondary-Emission Accelerated-Electron-Beam Monitor—B. P. Angelov, I. A. Prudnikov, and Yu. P. Shchepin	637	23
Production of a Beam of Polarized Negative Deuterium Ions—Yu. M. Khirniyi and L. N. Kochemasova	640	25
Obtaining a Jet Target in a Vacuum from Condensed Hydrogen—V. D. Bargenev, A. I. Valevich, Yu. K. Pilipenko, and V. V. Smelyanskii	644	28
Fabrication of Liquid-Hydrogen Targets from a (Dacron) Lavsan Film—L. M. Vasil'ev, Yu. P. Dmitrevskii, and Yu. M. Mel'nik	649	32
Total-Absorption Cerenkov Counter for the Separation of Electrons and π Mesons over a Wide Energy Range—V. A. Gol'dshtein and V. I. Ogurtsov	651	34
Peculiarities of Measuring the Total Cross Sections of Reactions Caused by the Action of Alpha-Particles—L. V. Dubar', O. F. Nemets, L. I. Slyusarenko, and V. V. Tokarevskii	654	36
System for Stabilizing the Spectrometric Channel of a Cerenkov Counter —V. A. Kramarenko and M. N. Khachaturyan	658	39
Installation for Studying the Correlation of Gamma-Quanta with Charged Particles —A. A. El-Kamkhavi, G. S. Gurevich, S. K. Kostyuchenko, and E. S. Zazulin	661	42
Commutator for a Mössbauer Spectrometer Having Constant Velocities—V. A. Chisyakov	664	45

Time Properties of a Spark Chamber Filled with Helium or a Mixture of Helium with Hydrogen—O. A. Zaimidoroga, Yu. I. Ivan'shin, and L. P. Chernenko 667 48
Electrical Power Supply System of Spark Chambers Having a Small Gap—V. V. Parkhomchuk, Yu. N. Pestov, and G. V. Fedotovich 670 52
Simulation of a Shower in a Spark Chamber—A. G. Sterligov and Yu. P. Usov 673 53
Technology of the Fabrication of Wire Electrodes of Spark Chambers Having Large Dimensions—V. F. Konstantinov and A. N. Prokhorov 675 55
Investigation of the Characteristics of Silicon Surface-Barrier ΔE-Detectors for Studying Nuclear Reactions—G. N. Zorin and V. F. Kushniruk 677 57
Semiconductor Detectors Which Are Sensitive to the Spot at Which a Particle Strikes—S. V. Artemov, M. A. Guner, A. Z. Il'yasov, Yu. N. Koblik, B. S. Mazitov, and V. V. Sidorov 680 59
Protective Coating for Silicon Surface-Barrier Nuclear-Radiation Detectors—I. Kratsikova, Li Chen Son, Lim Hen Thek, B. P. Osipenko, and L. A. Permyakova 683 62
Efficient Fast-Neutron Scintillation Detector—B. I. Goryachev, Yu. V. Kuznetsov, and V. N. Orlin 685 64
Determination of the Batching Characteristics of Instruments by Means of Standard Spectrometric Gamma-Sources—R. Ya. Strakovskaya and S. A. Gorbunova 688 66
Luminescence Yield of Dispersive Phosphors—V. R. Al'perovich, N. I. Komyak, and L. Ya. Morgovskii 692 69
Sensitivity of Counters Filled with ^{3}He in Media Containing Hydrogen—V. K. Bogatyrev, B. G. Dubovskii, V. V. Frolov, and V. V. Charychanskii 695 72

ELECTRONICS AND RADIO ENGINEERING

Use of an Amplitude Analyzer for Determining the Resolving Power of Semiconductor Counters—V. K. Eremin, S. A. Lomashevich, N. B. Strokan, and N. I. Tisnek 698 74
Source of Reference Signals for Stabilizing Scintillation Gamma Spectrometers—S. A. Shein and A. S. Karasik 701 77
Automatic Measurement of the Energy Resolution of Semiconductor Nuclear-Particle Detectors—V. P. Selyutin, B. A. Nikitin, O. P. Fedoseeva, and K. G. Finogenov 704 79
Measurement of Missed Counts by Means of Light Pickups—A. V. Kuptsov and D. M. Khazins .. 707 82
Blocks for Specifying the Constants and for Interfacing the TPA Electronic Computer with the Cassette in the "CAMAC" Standard via the Programming Channel—I. F. Kolpakov and N. M. Nikityuk 710 84
Multidecade Ferrite-Transistor Reversing Counter—Yu. P. Paramzin and M. A. Rad'ko 713 87
Network for the Display of Multidigit Counting Devices—B. F. Kirillov 716 90
Coincidence-Anticoincidence Circuits Based on a Current Switch—E. A. Meleshko and A. G. Morozov 718 91
Transistorized Counting Decade—L. V. Shilov and V. S. Tyutyunnik 722 94
Millivolt Amplitude Discriminator Having Two Stable States—G. N. Muskhelishvili and V. R. Mikirtumov 724 96
Threshold Device for Time Holding of Pulse Signals—A. K. Kovtun, A. N. Shkuro, P. M. Reznik, and V. S. Shevchenko 727 99
Increasing the Linearity of the Time Scale of a Time-Amplitude Code Converter—V. V. Danilevich, S. M. Dmitriev, A. F. Chernyavskii, and A. K. Yakushev 729 100
Analysis of the Principal Metrological Characteristics of Vernier Time-Pulse Converters—V. V. Danilevich, A. F. Chernyavskii, and A. K. Yakushev 732 104
Nanosecond Level-Holder—V. N. V'yukhin 736 107
Meter for Measuring Transmitted RF Power Using a Laser Signal—I. I. Budovskii, V. V. Makosevskii, I. S. Melishchuk, M. S. Reznitskii, A. A. Solomko, V. D. Tron'ko, and M. R. Tsalenchuk 739 110
Repelling Analyzers for the Investigation of Rarefied Low-Energy Plasma—I. I. Pervushin and N. M. Shyutte 742 112

Multichannel Analyzer for Rapidly Varying Frequencies—A. A. Mikhailichenko, V. F. Turkin, and I. S. Fishman 745 115
Statistical-Pulse-Sequence Subtracters—V. S. Sukhotin, V. F. Dubovitskii, and V. I. Cherkasov 749 118
Storage Matrix for Statistical Handling of the Results of an Experiment—M. A. Rozenblat and G. V. Fedin 752 121
Instrument for Measuring the Number of Excursions of a Realization of a Stationary Random Process—V. I. Khimenko and I. I. Chadovich 755 123
Chromatographic-Function Simulator—N. A. Syagaev, V. N. Sokolov, L. A. Rusinov, and A. L. Gurevich 757 125
Method and Network for Controlling an Analog Character Display Device via the Address —V. S. Govorov and V. F. Sitov 759 127
Preamplifier for Signals from Semiconductor Detectors Based on Field-Effect Transistors—Yu. A. Golubev, É. E. Pakhomov, and O. P. Polytsya 763 130
Oscillographing of Microwave Oscillations in Semiconductor Instruments—V. I. Zhavoronkov ... 765 132
Transistor Microwave Amplifier Having a Passband of 1 to 1000 MHz—V. I. Zhavoronkov, L. N. Izgagin, and N. Z. Shvarts 768 134
Stable Heterodyne Filter—M. S. Kozlov, V. I. Sazanov, and N. P. Cheragin 770 136
Shaping of Powerful Nanosecond Pulses by Avalanche Transistors Having a Bounded Space-Charge Region—V. P. D'yakonov 773 138

Volume 15, Number 3, Part 2 May-June, 1972

Generator Producing Rectangular Current Pulses—E. L. Kondrat'ev and F. V. Lebedev 777 142
Pulsed Nuclear-Quadrupole-Resonance Spectrometer for Phase-Shift Spin-Echo Methods —Yu. I. Manzhura, A. D. Postnikov, L. V. Ryumin, and V. I. Toporkov 778 143
Autodyne NMR-Signal Pickup with Controllable Low-Frequency Selectivity —Yu. A. Grinchenko 781 145
Use of Holographic Fourier-Spectroscopy for the Analysis of the Spectrum of Microwave Radiation—V. Ya. Balakhanov, V. K. Zhivotov, and A. V. Titov 783 146
Frequency Stabilization of a Microwave Self-Excited Oscillator—G. M. Utkin and A. V. Khryunov 787 150
Power Supply of Semiconductor Lasers Having Electronic Excitation—A. M. Vakulenko, I. M. Divil'kovskii, D. V. Kovalevskii, and A. A. Matsveiko 790 152
Generator Producing a Voltage Having an Arbitrary Waveshape Using a Pulse-Width Modulator—P. E. Molotov and V. A. Mednikov 793 155

GENERAL EXPERIMENTAL TECHNIQUES

Determination of the Width of the Ion Beam of a Mass Spectrometer with a Symmetrical Analyzer—G. Kh. Chedzhemov 797 158
Mass Spectrometer for Analyzing Solids—Yu. S. Alpat'ev, I. N. Dubinskii, V. L. Ol'khovskii, A. P. Pilipenko, and V. T. Cherepin 798 159
Insertion of a Cooled Inductor Into a High-Vacuum Chamber—M. B. Bronfin and I. A. Drugova 801 161
Absolute Calibration of Manometric Transducers by the Method of Comparison with a Compression Manometer in a Cryostated Installation—I. V. Tvorogov and L. P. Khavkin 803 162
Elimination of the Error of a Compression Manometer Which Is Associated with the Evacuating Action of the Mercury-Vapor Jet—I. V. Tvorogov and L. P. Khavkin 806 164
The Vacuum Channel of an NG-150 Neutron Generator—G. L. Saksaganskii, D. V. Serebrennikov, and S. G. Tsepakin 809 166

Unit for Protecting Vacuum Systems Having a High Operating Speed—L. V. Arinin, A. A. Arsen'ev, A. A. Kolodub, and A. Z. Rakhel'kin	813	169
Analytic Expression for the Calibration Curve of a Thermocouple Vacuum-Meter —Yu. P. Solonitsyn	815	170
Use of a Laser Probe for Investigating the Sorption Properties of Surfaces—V. A. Kuznetsov and A. A. Shchuka	817	171
Photometry of an Image on the Screen of an Image Converter—Yu. I. Malaknov	820	174
Optical Elastic Glues Based on Low-Molecular Polyorganosiloxane Rubber—V. V. Severnyi, E. I. Minsker, V. S. Chukin, and N. V. Kvrasnovskaya	822	176
Processing of Interferograms by Means of Equidensitometric Curves—E. F. Yamshchikov	826	179
Characteristics of an Electrooptical Shutter Based on Z-Cut KD_2PO_4 Crystals—S. F. Broveev, A. I. Saukov, and A. A. Ugodenko	829	181
Automatic Adjustment of the Operating Point of an Electrooptical Light Modulator —B. V. Gisin, A. V. Listov, and O. K. Sklyarov	831	183
Effect of the Mechanism of Forming a Video Signal in a Photosensitive Scanistor Pickup on the Accuracy of Processing Optical Information—G. A. Zheltovskii and P. I. Gos'kov	834	186
Mechanism for the Formation of the Plateau of the Counting Characteristic of a Scintillation Counter—G. A. Kibal'chich and Yu. A. Tsirlin	837	188
Use of Cooled Photomultipliers in a Stroboscopic Unit—L. V. Lëvkin and A. G. Skleznev	840	190
Noise-Immune Circuit for Recording Pulses of x-Ray and Light Radiation —S. M. Karakhanov and V. V. Polyudov	842	192
Logarithmic High-Speed Photoreceivers Having a Large Input-Signal Range—V. V. Bacherikov, V. É. Kargain, Yu. A. Makarov, and B. M. Stepanov	844	193
Flash-Photolysis Spectrophotometer—Yu. V. Morozov, A. K. Savenko, and E. N. Tverdokhlebov	847	197
Laser Based on Solutions of Organic Dyes—M. M. Loiko, V. A. Mostovnikov, V. S. Motkin, and A. N. Rubinov	851	198
Optical Elements of Lasers Based on Dyes Which Have Laser Pumping—M. M. Loiko and A. N. Rubinov	854	201
Unit for Investigating the Time Characteristics of Injection Lasers—L. N. Kurbatov, V. V. Nikitin, and A. I. Sharin	857	203
Stable Oscillator Producing Harmonics of a Neodymium-Glass Laser—B. V. Zhdanov, A. I. Kovrigin, and S. M. Pershin	861	206
Heating of Semiconductor Injection Pulse Lasers—Yu. A. Bykovskii, V. L. Velichanskii, A. V. Makovkin, V. A. Maslov, S. M. Zakharov, Yu. P. Zakharov, and V. L. Smirnov	864	208
Synchronization of the Radiation from Pulsed Lasers—K. A. Artushenko, S. V. Kruglov, S. I. Marennikov, and Yu. I. Tychkov	867	210
Equipment for Holographic Investigation of the Electrical Explosion of Conductors —E. A. Antonov, L. N. Gnatyuk, B. M. Stepanov, and V. Ya. Tsarfin	869	212
Water-Cooled 100-kOe Solenoid—K. A. Troinar and Gh. É. Bazan	871	214
Determining the Sign of the Hyperfine Interaction Fields in Ferromagnets —V. D. Kul'kov	873	216
Continuous Measurement of the Coercive Force—A. B. Vaganov and V. V. Zav'yalov	876	218
High-Speed Electrodynamic High-Pressure Gas Injector—G. N. Aretov, V. I. Vasil'ev, and F. R. Khamidullin	878	219
Measurement of High Voltage by a Rotor Voltmeter through Dielectric Media —M. T. Novikov and V. M. Grizhko	881	222
Autonomous High-Pressure Chamber—A. A. Averkhin and V. N. Bogomolov	883	224
Device for Studying Light Absorption in Deformed Solids for Simultaneous Irradiation with Electrons—O. A. Troitskii, P. Ya. Glazunov, E. M. Shirshov, A. K. Pikaev, and I. L. Skobtsov	885	225

Measurement of the Duration of an Emission Event – A. M. Tyutikov and V. K. Kozyrev 887 226
Investigation of the Electrooptical Characteristics of Electrochromic Substances – I. P. Krainov and P. E. Stadnik 891 230
Investigation of the Shape of X-Ray Nanosecond Pulses – V. M. Gorbachev, V. V. Gorbunov, V. N. Korolev, and V. F. Kuryakin 893 232
Multichannel Device for Recording the Parameters of Pulsed X-Ray Radiators – I. V. Dvornikov, V. V. Pichugin, and Yu. M. Tolchenov 896 234
The Energy Yield of Pulsed X-Ray Tubes Having a Cold Cathode – Yu. M. Tolchenov and A. V. Chepek 899 236
Measurement of the Hall Effect in High-Ohm Samples – P.-Yu. P. Zhilinskas and A. P. Sakalas 901 238
Determination of the Junction Resistance of the Rear Contact of a Semiconductor Phototransducer – A. S. Lisin and B. A. Semenov 905 241
Ohmic Contacts on Gallium Arsenide Obtained by the Condensation of a Metallic Plasma – A. N. Akimova, S. A. Kostylev, V. I. Lisichenko, V. A. Pogorelyi, and V. N. Privalov 907 243
The Creation and Electrical Properties of Ohmic Contacts on *p*-Si – R. Sh. Ibragimov 909 244
Temperature Stabilization in Horizontal Zonal Melting – O. Sh. Gogishvili, I. P. Lavrinenko, S. P. Lalykin, L. K. Radaikin, and N. P. Rubinshtein 911 245
Deformationless Cutting of Metal Single Crystals – N. N. Bobrova and N. N. Nasikanova 913 247
Investigation of the Motion of Gas Bubbles in Liquids – G. S. Bondarev, I. K. Sukharev, and Yu. I. Kiselev 915 248
Cleaning of Masks – A. R. Shelyag, A. L. Lukovich, and O. A. Lyutyk 917 249
Tubular Vaporizers for the Vacuum Deposition of Films in Various Directions – P. N. Chubov 918 250
Vacuum Installation for Obtaining Thin Films of Vapors of Chemical Compounds by Bombardment of the Substrate with Electrons – K. A. Osipov, E. V. Dorofeev, and V. N. Chuprov 920 251
Analysis of the Methods of Obtaining Thin Films by Cathode Sputtering – V. P. Belevskii, L. N. Bakulenko, and Yu. G. Kononenko 923 253
Observation of Small Nonlinearities in Superconducting Transitions of Thin Films – N. A. Pankratov, G. A. Zaitsev, and I. A. Khrebtov 926 256
Helium Cryostat in a Diffractometer for Structural Research – A. A. Boiko, V. A. Kucheryavyi, and A. I. Prokhvatilov 929 258
Camera-Cryostat in an Installation for Measuring the Spectra of Luminescent Objects – K. B. Kann and N. I. Mikichur 932 260
Superconducting Electromagnetic Valve – I. D. Kolodeev and M. I. Kryukov 934 262
Cryostat for Achieving 0.7°K by Evacuation of ^{4}He by Means of a Sorption Pump – A. G. Voloshkevich and V. A. Moiseenko 936 263
Cryostat for Optical Investigations – A. A. Boiko, I. A. Markova, and S. Z. Shmurak 937 264

ABSTRACTS

Investigation of Back-Scattering of Conversion Electrons – A. M. Rodin, P. L. Gruzin, and N. A. Vartanov 938 265
Energy Calibration of a Gamma Spectrometer Having an Organic Scintillator – D. V. Viktorov, I. M. Rozman, and T. F. Tsulaya 940 266
A System for the Acquisition of Information from Scaling Instruments – A. S. Dunaitsev, Yu. V. Rodnov, and A. N. Sytin 941 266
Unit for Automatic Determination of the Distribution Laws of Signals and Noise on the Screen of a Cathode-Ray Tube with Intensity Display – A. P. Beloshitskii and Yu. V. Yakovlev 943 267
Low-Pressure Gas-Discharge Commutators – I. I. Aksenov and S. A. Smirnov 945 269

Photometric Properties of a Photographic Negative for Large Image-Brightness Intensifications – G. E. Smolkin and E. A. Syriganova 947 270
Installation for Measuring the Topography of a Contact Potential Difference – V. A. Arslambekov, V. Ya. Smushchenko, and V. S. Minyailik 949 271
Superconducting Electric Motors Having a Disk Rotor – I. D. Kolodeev 951 271

REVIEWS OF INSTRUMENTS

Analysis of the Accuracy of Measuring the Mean-Square Value of Noise Signals by a Squaring Device Based on Field-Effect Transistors – V. G. Il'enkov and Yu. N. Kichkin 953 273
Programming Device for a Spin-Echo Spectrometer – P. G. Zykov and P. E. Suetin 955 274
Use of SF-4A and IKS-14 Spectrophotometers for Obtaining the Absorption Spectra of Molten Salt – V. V. Gushchin, O. V. Skiba, and V. M. Barinov 958 276
Increasing the Sensitivity of the E11-2 Nuclear Magnetometer – Yu. S. Alpat'ev, A. G. Gordienko, and V. I. Leonidov 961 278
URS-50I Diffractometer with a BSV-11 Sharp-Focusing Tube – V. F. Gamayunov and S. Z. Fedorenko 963 279

NEW INSTRUMENTS

Digital-Measurement Block in the "CAMAC" Standard – V. A. Aref'ev, A. G. Grachev, I. F. Kolpakov, A. P. Kryachko, N. M. Nikityuk, G. M. Susova, L. A. Urmanova, and E. V. Chernykh 964 280
Controllable Hydraulic Pump Rated Up to 2 kbar (the NQR-2000) – D. S. Mirinskii and Ya. I. Shurin 965 281
Thermostating Aggregate for Reduced Temperatures – V. M. Nuzhnyi, M. M. Mikhailenko, and V. F. Kuznetsov 966 282
Installation for Investigating the Atomic Structure of the Surface of Crystalline Materials by the Method of Diffraction of Slow Electrons – V. M. Artemov, D. V. Ilemashvili, and A. I. Shimko 966 283
Multichannel Digital Controllable-Delay Generator – V. M. Vedernikov, V. P. Kiryanov, and M. A. Koksharov 967 284
Generator Producing Powerful Short Pulses Having a High Repetition Frequency – V. M. Komarov, L. I. Yudin, and S. T. Latushkin 968 284
ÉVIS-69S Electroviscosimeter for Studying the Viscous Properties of Non-Newtonian Fluids – A. N. Sundukov and P. A. Ivanov 968 285
Magnetooptical Microanalyzer – G. M. Nurmukhamedov and G. M. Khadzhimatova 969 285
Low-Inertia Thermoelectric Microrefrigerator – L. I. Anatychuk 970 286
Sensor of a Liquid–Helium–Level Meter – V. G. Rudenko and A. I. Shal'nikov 970 287
Thermally Stable Probe with an n-InSb Hall Pickup – V. S. Aksenov, L. Kh. Antropova, A. N. Banaushin, N. V. Kotosonov, and L. P. Malakhova 971 287

Volume 15, Number 4, Part 1 July-August, 1972

Filmless Television Method for Recording the Tracks of Nuclear Particles in Spark Chambers (Review) – A. V. Petrakov, V. A. Klevalin, and V. P. Gorokhov 973 7

NUCLEAR EXPERIMENTAL TECHNIQUES

Use of the Injected Beam to Synchronize Systems That Inject the Beam into a Proton Synchrotron – K. F. Gertsev, A. D. Ermolaev, and V. I. Zaitsev 983 17
Deflector and Deflector Generator of a System for One-Turn Extraction of Protons from the Booster of a Proton Synchrotron – V. A. Vizir', F. A. Vodop'yanov, V. P. Orel, and I. P. Chuchalin 985 18

Measurement of the Frequency of Particle Revolution in an Isochronous Cyclotron —D. L. Novikov, L. M. Onishchenko, and P. T. Shishlyannikov 988 21
Formation of Neutrals in Ion Beams Accelerated on a Cyclotron—L. I. Slyusarenko and V. V. Tokarevskii 991 24
Use of "Deflection Bunching" to Obtain Intense Short Neutron Pulses in the Cyclotron of the Atomic Energy Institute—I. D. Breslavtsev, N. I. Venikov, V. D. Dvornikov, I. L. Kuleshov, S. T. Latushkin, V. A. Rezvov, N. I. Chumakov, and L. I. Yudin 994 26
Operation of the ÉG-2.5 Electrostatic Accelerator in a Pulsed Mode—V. I. Strizhak, V. V. Bobyr', Yu. I. Totskii, V. T. Tustanovskii, and V. I. Yarotskii 1000 32
A Source of Alkali-Metal Ions—A. S. Avakov, S. F. Belykh, V. V. Evstifeev, and R. N. Evtukhov 1002 33
Three-Meter Liquid-Hydrogen—Deuterium Target Having a Stabilized Density —L. M. Vasil'ev, Yu. P. Dmitrevskii, Yu. M. Mel'nik, and V. V. Sytnik 1004 35
Low-Temperature Targets for Physical Research with High-Energy Electrons and Photons—V. A. Gol'dshtein, V. V. Lubyanyi, and A. I. Germanov 1007 37
Investigation of the Time Characteristics of Scintillation Gamma-Spectrometers —E. A. Andreev, S. D. Sit'ko, V. A. Shevchenko, and B. K. Shrivastara 1011 40
Circuit for Automatic Control of Movable Shielding—A. E. Golovin and I. V. Naumov 1014 42
Measurement of the Ranges of Charged Particles in Matter—V. I. Kanashevich, S. V. Laptev, S. N. Rybin, and G. P. Chursin 1015 43
Method of Investigating Resonances that Decay into a Charged Particle and a Neutral Pion or η Meson—M. V. Anokhin, S. G. Arakelyan, A. M. Zverev, A. R. Kanetsyan, N. I. Nikitin, V. M. Kharitonov, and S. A. Kheifets 1018 46
Mössbauer Spectrometer for Energy Analysis of Scattered Radiation—A. N. Artem'ev, K. P. Aleshin, V. S. Sklyarevskii, and E. P. Stepanov 1022 48
Proportional Counter Based on ^{83}Kr for Mössbauer Research—S. P. Ekimov, V. V. Karasev, L. M. Krizhanskii, N. K. Cherezov, and I. A. Yutlandov 1025 51
Precision Electronic Block for Controlling the Moving System of a Mössbauer Spectrometer —K. P. Aleshin, A. N. Artem'ev, and E. P. Stepanov 1029 54
Use of an LI-604 Dissector in Devices for Processing Nuclear Interactions in Bubble Chambers—Yu. V. Ovsov, Yu. G. Noskov, and G. M. Khalikova 1033 58
Installation for Recording the Decays of K^0 Mesons—K. M. Avakyan, T. L. Asatiani, L. A. Zhirova, V. A. Ivanov, V. M. Krishchyan, and É. A. Mnatsakanyan 1036 61
Automatic Acquisition of Information from Streamer Chambers by a Superorthicon —T. L. Asatiani, V. P. Gorokhov, V. A. Ivanov, and A. V. Petrakov 1039 64
Surface-Barrier Detectors Made of p-Si—V. M. Vakhtel', V. N. Degtyarenko, and L. N. Sukhotin 1042 66
Relative Energy Efficiency of a LiF-Detector—K. M. Kudelin 1044 68
Shape of the Line from a ^{4}He Counter for Neutrons Having Energies of 1 to 20 MeV —L. S. Andreeva, A. K. Savinskii, I. V. Filyushkin, and O. N. Chernova 1046 70
Flat Slow-Neutron Scintillation Detector with a Bent Lightguide—G. M. Kazakevich, V. A. Ponmarchuk, E. M. Filippov, and S. T. Shestel' 1049 72
Neutron Ionization Chambers with a Pneumatic Monitoring Device—A. B. Dmitriev, E. K. Malyshev, and V. V. Prokhorov 1052 75
Voltage Converter with Discrete Control—V. D. Dvornikov, V. M. Komarov, and L. I. Yudin 1054 76
Compensation of the Nonlinearity of an Amplitude-Time Converter—E. D. Vysotskii 1057 79

ELECTRONICS AND RADIO ENGINEERING

System for Recording and Studying Nuclear Processes That Take Place with Very Small Cross Sections—V. Z. Gol'dberg, A. A. Kurashov, V. V. Paramonov, V. P. Rudakov, V. A. Timofeev, and A. A. Chesalov 1060 82
Entry of Information Written on a Punched Tape into a BÉSM-4 Computer —V. I. Kutuzov, S. A. Petrov, and V. S. Revenko 1064 85

Output of Information from the AI-128 Analyzer onto Punched Tape —A. S. Gavrilov and V. S. Lukanin 1068 89
Conversion of a Nanosecond Time Interval into a Code—B. P. Barkov, Yu. V. Katinov, and A. I. Sutormin 1071 91
Determination of the Maximum Measurement Time of a Voltage-Code Converter —V. V. Sivkov and M. S. Titov 1074 94
Quantizing Converter Based on an Avalanche Transistor—V. P. D'yakonov and Ch. A. Sharifov 1076 95
Multichannel Differential Coincidence Circuit for the Nanosecond Range—V. A. Avdeev and V. M. Kuznetsov 1079 98
Linear Adding Circuit for Semiconductor Ge(Li)-Detectors—A. S. Aloev, N. A. Vartanov, Yu. E. Kazakov, and Yu. N. Stugarev 1082 100
High-Voltage Thyristor Generator Producing Powerful Current Pulses—V. I. Bobylev, A. M. Kozodaev, N. V. Lazarev, V. S. Skachkov, and Yu. V. Stasevich 1085 103
High-Voltage Rectangular-Pulse Generator Based on Thyratrons—L. Z. Gogolitsyn 1089 106
Powerful Tacitrons and Certain of Their Characteristics in the Nanosecond Range —V. D. Dvornikov, S. T. Latushkin, V. A. Krestov, L. M. Tikhomirov, and L. I. Yudin 1091 108
Optically Controlled Relaxation Oscillators Based on Avalanche Transistors —V. P. D'yakonov and V. A. Tsigankov 1095 111
Pulse Generators Based on Avalanche Transistors for IP-1 Integrated Circuits —V. P. D'yakonov 1099 114
Flipflop Based on Solid-State Logic Circuits—B. A. Volkov, F. G. Garipov, and V. A. Gorozhanin 1102 117
Generators Producing Pulses Having a Piecewise-Linear Shape—I. I. Zadubovskii, B. N. Krasnogolovyi, and V. D. Rudenko 1104 118
Controllable Triangular-Voltage Generator—O. A. Gusev and B. N. Pytlyak 1107 120
Circuit for Shaping Current Pulses with a Flat Top in an Inductive Load—N. P. Larina and L. I. Minenko 1110 123
Circuit for Shaping a Train of Bipolar Pulses Having a Short Length—O. S. Kolotov 1113 126
Linear Filter for Operation under Conditions of Increased Loadings—A. A. Mitin and G. N. Sofiev 1115 128
Sampled-Data Automatic Gain Control of a Photomultiplier—V. V. Barkov, E. I. Gorodilov, A. V. Malanin, I. N. Matveev, B. V. Poltaev, and V. F. Morskov 1118 129
Symbol Generator Having No Inductive Elements—A. R. Glushakov, V. S. Govorov, and V. F. Sitov 1121 131

Volume 15, Number 4, Part 2 July-August, 1972

Modulator for Electroluminescent and Laser Diodes—A. I. Kirillov, I. N. Matveev, and B. V. Poletaev 1125 134
Differential Stage Having a High Input Impedance for Investigating Thermoluminescence —K. M. Kudelin and L. Ya. Zabrodskaya 1128 137
Transistorized Oscillator for the Meter Band with Electronic Tuning—Yu. E. Kivokurtsov 1130 138
Broadband Frequency-Shift Device—K. E. Mirakov 1132 139
Broadband Paraphase Amplifier—A. A. Lysenko and A. I. Petrova 1136 142
Cell for Broadband Measurements of Dielectric Parameters in the Range of Millimeter Wavelengths—A. A. Dem'yanov 1138 144
Cavity Resonator for Investigating ESR at High Temperatures—A. A. Bugai and V. M. Maksimenko 1141 146
Transistorized dc Amplifier for the Spin Stabilization System of an NMR Spectrometer —A. F. Varenik and F. V. Kiyanovskii 1143 147

Correlation Amplifier for Studying Fluctuation Phenomena—Ya. A. Kraftmakher and A. G. Cherevko 1146 150
Measurement of Noise with Recording on a Magnetic Tape—N. A. Pankratov and V. P. Korotkov 1149 152
Peak Detector with Automatic Reset—V. G. Zubov and Z. R. Mychuda 1151 153
Converter for Converting RCL-Parameters into a Frequency-Time Signal—T. N. Ryzhevskaya and É. K. Shakhov 1153 155
Unit for Investigating Pulsed Autoelectronic Emission—N. V. Egorov, V. I. Il'in, and G. N. Fursei 1156 157
Digital Meter for Measuring Ion-Current Ratios—A. S. Meleshkin, Z. V. Oreshkina, and A. É. Rafal'son 1160 161
Automatic Calculation and Recording of Temperature Dependences of the Hall Coefficient—V. L. Pleshkov 1163 164
Voltmeter for a Thermoanamometer—G. P. Eremin, V. M. Shkredov, O. P. Lappa, and L. D. Khoronevich 1166 166
Stabilization of the Magnetic Field of Image Converters—K. L. Mench, G. G. Petrov, and V. G. Tokmakov 1169 169
Electromagnet-Current Stabilizer—V. L. Lomakin, I. F. Kochura, M. I. Matrosov, and V. V. S'edin 1172 171
GENERAL EXPERIMENTAL TECHNIQUES
High-Vacuum Flange Joints with a Sickle-Shaped Sealing Profile—A. S. Shuvalov, N. V. Bublik, A. V. Balitskii, and L. A. Filatovskii 1175 174
Detachable Vacuum Joint with Rubber Packing—N. F. Khalin 1177 176
Testing the Procedure for Mass-Spectrometric Detection of Leakages by Means of Liquid Trial Substances—L. A. Afanas'eva, I. G. Baryshnikova, L. E. Levina, and R. A. Fursova 1178 177
Measurement of a One-Electron Pulse from a Photomultiplier—F. M. Subbotin and E. I. Shubnikov 1182 180
Control of the Sensitivity of the FÉU-36 Photomultiplier by Means of an External Magnetic Field—A. A. Sisin and A. L. Skrelin 1184 181
Dependence of the Characteristics of an FÉU-30 Photomultiplier on the Position of the Illuminated Sector of the Photocathode—I. R. Gulakov and A. N. Pertsev 1187 183
On the Inertial Component of the Secondary-Emission Coefficient of Photomultiplier Dynodes—A. N. Pertsev, A. M. Lyutsko, I. R. Gulakov, and Nguyen Kuang Minh 1189 185
Coaxial Gas-Discharge Tubes for Pulsed Lasers—V. N. Ishchenko, V. N. Lisitsyn, V. N. Starinskii, and P. L. Chapovskii 1192 188
Stable Opticomechanical Modulator for Modulating the Q of a Laser Cavity—M. G. Zuev and A. L. Shalyapin 1194 189
Interferometric Measurements of the Vibration Immunity of a Holographic Bench—D. I. Mirovitskii, G. A. Samsonov, and V. I. Shanin 1197 191
Engineering of Infrared Spectroscopy of Molecules in Molten Salts—L. M. Gurevich and A. B. Bezukladnikov 1200 194
Detection of Radiation that Accompanies Electron-Ion Collisions in Intersecting Beams—A. I. Dashchenko, É. P. Stakhno, and A. I. Imre 1203 196
Precision Measurement of the Fractional Portion of the Relative Shift of Two Systems of Interference Bands—V. L. Vlasov and A. N. Medvedev 1205 198
Control of the Image in an Image Converter by Means of Photopickups—G. A. Ivanov, A. V. Dombrovskii, A. S. Ganeev, V. I. Ponomarev, and V. M. Popov 1207 201
Obtaining Magnetic-Field Pulses Directly from the Alternating-Current Lines—I. I. Ushakov and V. Ya. Ushakov 1210 203
Laboratory Installation for Research at High Pressures and Temperatures—A. G. Boganov, S. A. Popov, and L. P. Makarov 1213 205
Insertion of Several Leads into a High-Pressure Chamber—G. D. Ushakov 1216 208

Micromanometer with a Digital Reading—S. F. Borisov, B. A. Kalinin, B. T. Porodnov, and P. E. Suetin 1217 209
Installation for Studying the Kinetic Coefficients during the Action of a Dynamic Load on a Sample—E. V. Kozeev, V. P. Dragunov, and V. N. Kholyavko 1219 210
Measurement of the Relaxation Current in Polar Liquids Having a High Electrical Conductivity—V. I. Zolotarevskii, S. G. Titov, and D. M. Zorin 1222 212
Device for Generating Dislocations Having a Stipulated Density in Silicon—A. M. Svetlichnyi and D. A. Sechenov 1225 214
Ohmic Contacts with GaSb Single Crystals—A. V. Sandulova, V. P. Goncharov, B. I. Sydir, and V. M. Rybak 1227 216
Differential Method of Optical Investigation of Microinhomogeneities in Semiconductors—V. I. Kovalev, Yu. T. Zakharov, and Yu. F. Ogrin 1230 218
Instrument for Measuring the Doping Profile of Epitaxial Films—L. D. Buiko, É. P. Kaloshkin, V. M. Koleshko, and G. G. Chigir' 1232 220
Monitoring the Profiles of Dielectrics and Metal Coatings on Silicon—V. I. Prokhorov 1235 222
Radiographic Investigation of the Textures of Thin Films—D. M. Freik, G. M. Gaiduchok, V. V. Voitkiv, and L. B. Maksimyak 1238 224
Radiographic Investigation of Metastable Phases in Alloys—A. A. Boiko, V. F. Degtvareva, and A. G. Rabin'kin 1240 226
Specialized X-Ray Diffractometer for Express Qualitative Analysis of the Phase Composition of Polycrystalline Materials—A. A. Evgrafov, L. S. Zevin, N. I. Komyak, V. P. Ryazin, and D. M. Kheiker 1242 228
X-Ray Camera for Investigating Defects in Crystals—Ya. G. Gross, E. G. Pokornyi, D. M. Bolotovskii, É. K. Kov'ev, and I. L. Shul'pina 1246 231
Radiation Spectrum of a Pulsed X-Ray Tube Having a Cold Cathode—Yu. M. Tolchenov and A. V. Chepek 1249 233
Field-Emission Cathode Made of Steel Blades—B. V. Bondarenko and V. I. Makukha 1252 235
Nitrogen Cryostat for Investigations in the Millimeter Range of Wavelengths—A. A. Volkov, G. V. Kozlov, and I. M. Chernyshev 1254 237
Device for Measurement of the Length of Liquid-Hydrogen Targets—Yu. P. Dmitrevskii, V. V. Elistratov, and A. F. Prudkoglyad 1256 238
Device for Commutation of Currents—Ya. S. Kan and V. A. Rakhubovskii 1258 240
Compact Vacuum Stop Valve for a Cryostat with a Germanium Detector—A. P. Grinberg ... 1260 241
Foils and Films of Rare-Earth Metals—L. G. Lishenko, T. S. Nazarova, and A. A. Rozen 1262 243
Double Tank for Automatic Etching of Points—G. N. Freiberg 1264 244
Null Indicator for Compensation Circuits—L. I. Anatychuk and I. A. Buchkovskii 1266 245
Mechanism for the Longitudinal Movement of a Rotating Shaft—G. F. Tavadze and D. V. Khantadze 1267 247

ABSTRACTS

Valves of the Drive for a Mechanism that Varies the Pressure in the Working Cavity of a 100-cm Hydrogen Bubble Chamber at the Joint Institute of Nuclear Research—V. V. Glagolev, R. M. Lebedev, A. M. Moiseev, V. P. Sergeev, B. I. Terent'ev, and V. N. Fomin 1268 248
On the Accuracy of Measuring the Electrical Conductivity of Semiconductor Materials by Cavity-Resonator and Waveguide Methods—G. M. Mailov and K. N. Melina 1270 248
On Choosing the Parameters of the Electromagnet in a Propane-Freon Buble Chamber of the "SKAT" Type—V. D. Borisov, G. A. Grad, B. E. Gritskov, N. I. Doinikov, E. P. Kuznetsov, N. A. Monoszon, V. P. Muratov, B. V. Rozhdestvenskii, O. B. Senchenko, A. S. Simakov, N. S. Strel'tsov, and V. I. Snyatkov 1272 249
Trajectory Tracer for Automatic Plotting of the Trajectories of Charged Particles in Electrostatic Fields with Allowance for Space Charge—R. E. Eliseev, D. A. Men'kov, and V. M. Sal'nikov 1274 250

Use of a Scale-Time Converter for Equipment Analysis of Random Processes
—A. V. Blokhin 1276 251

REVIEWS OF INSTRUMENTS
Use of Two Digital Instruments Jointly with One F592 Transcriptor—V. I. Kaplan 1278 252
Attachment to an RYa-2305 Radiospectrometer for Studying Magnetic Double Resonance
—Yu. V. Belov, Yu. L. Kleiman, N. V. Morkovin, and Yu. Yu. Samitov 1280 253

NEW INSTRUMENTS
Automatic Microphotopyrometer for Measurement of the Temperature of Samples
in IMASh-5S Installations—M. P. Nikonov, I. L. Sakin, and V. G. Kharazov 1282 255
Compact Logic-Pulse Generator—A. G. Morozov 1282 255
Cryostat for a Horizontally Situated Superconducting Solenoid with a Warm Working Cavity
—N. G. Afonchenkov 1283 256
Digital Time-Interval Meter—S. V. Denbnovetskii, A. K. Kovtun, and A. N. Shkuro 1283 256
Instrument for Measuring the Statistical Characteristics of a Two-Component
Random Signal—V. E. Yamnyi, N. I. Kirkorov, M. V. Komar,
V. V. Shlyakhtin, and P. P. Shlyarenko 1284 257
Multichannel Analyzer for Analyzing the Probability Density of the Fluctuations of the Period
of Quasiperiodic Signals—I. A. Malevich, Yu. I. Postoyanov, and A. F. Chernyavskii ... 1285 258
Spectral-Analyzer Installation (SA-5)—N. F. Vollerner, V. G. Kriksunov, Yu. F. Alekseenko,
S. V. Balitskii, V. V. Bergulev, B. A. Boichuk, A. B. Grozin, I. V. Latenko,
E. M. Limonnik, V. P. Onashchenko, E. M. Sikorskii, O. I. Tanygina, and N. M. Todosienko 1286 259
Goniometric Device for Rotating Samples in Beams of Charged Particles—A. Ya. Bobudaev ... 1286 259
Device for Synchronous Conversion of Two Random Signals to Digital Form—V. E. Yamnyi,
A. P. Zhigalov, M. V. Komar, and P. P. Shklyarenko 1287 260
Silicon Surface-Barrier Detectors of the dE/dx Type
—V. V. Avdeichikov and O. V. Lozhkin 1288 261
An H_c Meter — an Instrument for Measuring the Anisotropy Field of Cylindrical Thin Magnetic
Films—R. E. Ershov and V. L. Lifshits 1288 261

Volume 15, Number 5, Part 1 September-October, 1972

Procedure and Application in the Use of Analyzers of the Energy Spectrum of Autoelectrons
(Review)—V. A. Kuznetsov and E. P. Sheshin 1291 7

NUCLEAR EXPERIMENTAL TECHNIQUES
Increase in Beam Intensity in the Injector of the Proton Synchrotron at the Institute
of Theoretical and Experimental Physics—I. M. Kapchinskii, V. A. Batalin,
A. A. Kolomiets, B. K. Kondrat'ev, and R. P. Kuibida 1301 17
Control of the Slip of the Conversion Aggregate in the Supply System of a Proton Synchrotron
—G. N. Akimov, I. F. Kleopov, and G. I. Kugushev 1303 18
Installation for Investigation Radiative Decays of Resonances—R. G. Astvatsaturov,
A. M. Baldin, S. G. Basiladze, V. D. Volodin, V. I. Ivanov, V. A. Kramarenko,
I. F. Kolpakov, A. T. Matyushin, V. T. Matyushin, G. L. Melkumov, V. A. Smirnov,
M. N. Khachaturyan, and M. S. Khvastunov 1307 21
Isolation of Electrons in Beams of Secondary Particles Having a Momentum of up to 50
GeV/c and the Recording of Electron Showers—V. A. Kachanov, V. M. Kut'in,
V. G. Lapshin, V. I. Rykalin, and V. K. Semenov 1312 25
Telescope for Recording Low-Energy Protons in the Presence of an Intense Beta Background
—D. D. Bogdanov, V. A. Karnaukhov, and L. A. Petrov 1316 28
Mössbauer Spectrometer with a Reversing Address Register of the Multichannel Analyzer
—V. L. Ponomarchuk and V. P. Romanov 1319 31

	Engl.	Russ.
Use of a Linear Scanistor for Processing Graphical Information—G. A. Zheltovskii and P. I. Gos'kov	1323	34
Moving Screen in Front of the Membrane of the Expansion System in a Bubble Chamber—V. N. Borisov, V. M. Golubchikov, A. G. Dolgolenko, N. S. Konoplev, and V. A. Shebanov	1326	36
Three-Electrode Blümlein Line for Supplying a Streamer Chamber—V. S. Chirochkin and S. B. Shaulov	1328	38
Precise Determination of the Coordinates of Particles in a Proportional Chamber—V. A. Biryukov, V. G. Zinov, A. D. Konin, and A. N. Ponomarev	1331	40
Measurement of the Outputs of Photonuclear Reactions by Means of a Multifilament Proportional Chamber—V. V. Varlamov, B. S. Ishkhanov, O. F. Nesterenko, I. M. Piskarev, and V. G. Shevchenko	1334	43
The Relative Luminescence Yield of Gas Proportional Counters—I. B. Keirim-Markus, A. K. Savinskii, V. G. Chaikovskii, and A. S. Yakovlev	1337	46
Multifilament Neutron Detector of the Open Type for a Time-of-Flight Spectrometer—P. N. Vorona and A. N. Maistrenko	1340	48
Detector of Transitional X Radiation from High-Energy Particles—A. I. Alikhanyan, K. A. Ispiryan, S. A. Kankanyan, A. G. Oganesyan, and A. G. Tamanyan	1343	51
Resonance Counter for Observing the Mössbauer Effect in ^{125}Te Nuclei—V. A. Lebedev, E. K. Bakov, A. I. Kuz'min, and A. M. Babeshkin	1346	53
Scintillation Resonance Detector for Mössbauer Investigations—A. N. Murin, S. I. Bondarevskii, V. V. Dzhurzha, and V. A. Tarasov	1349	55
Time Resolution of Large Scintillation Counters—A. V. Nemarov and I. G. Fel'dman	1351	57
Radiation-Resistant Gamma-Dosimeters Based on CdS Single Crystals with Compensated Impurities—N. F. Kopas', A. P. Galushka, and I. D. Konozenko	1353	59
Neutron Dosimeter Based on Fissioning Isotopes—I. B. Keirim-Markus, K. K. Koshaeva, S. N. Kraitor, and A. Ya. Kushnerev	1355	61
Consideration of Cascade Transitions in Determining the Absolute Yield of Gamma Rays—D. S. Andreev, K. I. Erokhina, V. S. Zvonov, and I. Kh. Lemberg	1358	63
ELECTRONICS AND RADIO ENGINEERING		
Blocks of Electronic Physics Equipment for Operation at Loadings of Up to 100 MHz—V. F. Kuzichev, N. V. Rabin, G. N. Tyapkina, and K. I. Yablonin	1361	66
Block for Preliminary Analysis of a Spectrometric Signal—B. Yu. Semenov	1366	71
Capacitor Storage Device with a Long Memory Time—V. I. Men'shikov	1370	75
Multifunctional Synchronization Network—V. D. Dvornikov, V. M. Komarov, and L. I. Yudin	1373	78
Nanosecond Device for Amplitude Coding of the Coincidence Multiplicity and the Numbers of Inputs—T. M. Volkova and B. G. Mishchenko	1377	81
Method of Obtaining the Difference between Two Periodic Pulse Sequences—V. P. Danil'chenko and V. G. Fraiberg	1380	83
Digital Instruments for Measuring Amplitude-Time Parameters of Pulses of Nanosecond Length—A. K. Kovtun, A. N. Shkuro, P. M. Reznik, V. V. Romanov, and V. S. Shevchenko	1383	85
Increasing the Speed of Response of Vernier Time-Interval Meters—A. A. Bogoroditskii, V. G. Ermakov, T. N. Ryzhevgskaya, and A. G. Ryzheskii	1387	89
Pulse-Amplitude Discriminators Based on Avalanche Transistors—V. P. D'yakonov and A. A. Sterlyagov	1390	91
Converter for Converting Digital Information to Analog Form—A. A. Ostapenko and G. S. Odinets	1393	94
Flipflop with a Short Recovery Time—V. A. Sitovenko, G. I. Gotlib, and E. S. Lubtsuk	1395	96
Thyratron Generator Which Produces High-Voltage Long Pulses for High-Ohm Loads—L. Z. Gogolitzyn and A. V. Senik	1397	97
Generator Producing Sawtooth Voltage Pulses—M. V. Korolev	1399	99

Controlled Generator Producing Powerful Rectangular Current Pulses—I. L. Gufel'd and V. A. Lott 1401 100
Generator Producing Pulses with a Controllable Current Amplitude—R. L. Kulet 1403 102
Magnetic-Thyristor Pulse Generator with a Shock-Wave Line—I. G. Kataev, A. N. Meshkov, I. I. Rozhkov, and V. I. Shishko 1405 103
Semiconductor High-Power Pulsed Current Modulator—L. G. Koshcheev 1408 106
Low-Ohm Pulse Generator for a Transverse Discharge—V. N. Ishchenko, V. N. Lisitsyn, V. N. Starinskii, and T. L. Chapovskii 1412 109
System for Protecting the Charging Devices in Capacitive Energy-Storage Units —I. M. Divil'kovskii, D. V. Kovalevskii, A. A. Matsveiko, and L. K. Subbotin 1414 111
Electrometric Amplifiers for Induction Measurement of Charges—L. M. Logvinov, A. A. Podolskii, A. F. Voronov, and L. I. Kalakutskii 1417 113
Receiving-Recording Device for High-Ohm Photoreceivers—E. A. Vinogradov and B. D. Kopylovskii 1420 115
Interference-Suppressing Device for Radiometers—Yu. I. Modeev 1423 118
Correlation Detector in a Signal-Detection Mode—A. P. Dyatlov, L. A. Boli, and V. I. Khokhlov 1426 120
Radiospectrographs for the 0.3-3 m Range—Yu. B. Vedeneev and N. M. Prytkov 1428 122
A Nuclear Gamma Resonance (NGR) Spectrometer Using an AI-128-1 Multichannel Analyzer in a Mode of Slow Time Measurements—Yu. A. Shevchenko and V. A. Semenkin 1431 125
Method of Measuring the Spin-Lattice Relaxation of Optically Oriented Atoms —O. A. Bartenev and L. N. Novikov 1436 129
Amplifier Channel of a Pulsed Nuclear Magnetic Resonance (NMR) Spectrometer —V. G. Kiselev, A. F. Babkin, I. I. Shelyuto, and V. S. Strel'tsov 1439 132
On Certain Applications of Spin Generators in NMR Spectroscopy —Yu. S. Konstantinov and A. M. Smirnov 1442 134
Modulator for the Millimeter Range of Wavelengths—R. K. Kazaryan, V. V. Nikitin, I. A. Strukov, and Yu. V. Khapin 1444 136
Semiconductor Transducer Based on the Thermal EMF Effect of Hot Charge Carriers in a Measurement Microwave Line—Yu. I. Zakharov, N. V. Kotosonov, V. S. Pitanov, and G. I. Khokhryakov 1446 137

Volume 15, Number 5, Part 2 September-October, 1972

Calculation of the Permittivity of a Plane Dielectric Lossless Layer According to the Measured Path Difference—R. L. Evel'son 1449 140
Procedure for Performing Measurements of the Dielectric Parameters of Strongly Absorptive Liquids at Millimeter Wavelengths—A. A. Dem'yanov and M. G. Semenov 1453 143
Commutator for a Mössbauer Constant-Velocity Spectrometer—V. I. Lisichenko and N. N. Petrichenko 1456 145
Instruments for Dynamic Measurements of the Phase of an Electrical Signal—Yu. L. Bekhtin ... 1458 146
Six-Channel Electronic Phase Shifter—G. N. Akimov and G. I. Kugushev 1461 148
Statistical Digital-Analog Pulsed-Supply-Voltage Regulator—E. N. Brago 1464 151
Supply and Synchronization of Solid-State Laser Operating at a Repetition Frequency of Several Hertz—Yu. F. Solomonov and A. M. Danishevskii 1467 153
Command Timer—E. I. Egorov and S. B. Ratushkin 1471 156
Circuit for Controlling a Thermostating Device—B. A. Volkov, V. A. Gorozhanin, and R. G. Ramazanov 1473 157
Stabilized Current Source for Supplying Superconducting Solenoids—V. I. Voronin 1475 159
Device for Stabilizing the Current of a Superconducting Solenoid—Yu. F. Kiselev 1478 162

GENERAL EXPERIMENTAL TECHNIQUES

Photoionization Ion Source for Investigating Nonvolatile Substances on a Mass Spectrometer —M. E. Akopyan, E. N. Nikolaev, G. A. Semenov, Yu. L. Sergeev, and M. M. Timoshenko 1481 164

Evacuation of Mixtures Containing Chlorine by Means of a Titanium Discharge Pump —V. V. Ryabov and G. L. Saksaganskii 1483 166

Oil-Vapor Trap for Oil-Vapor Diffusion Pumps —G. V. Grisha and S. Ya. Karnarukov 1486 169

Effect of Evacuation Conditions on the Pressure of the Active Gases in Cathode-Sputtering Installations —V. P. Belevskii, V. P. Zaprodskaya, Yu. G. Kononenko, and V. I. Shpig 1488 170

On the Gas-Permeability of Certain Materials —V. A. Kalinchev 1490 172

Perfecting the Method of Measuring the Secondary Emission Coefficient of Dielectrics —Yu. G. Malynin, V. N. Orlovskii, and L. G. Sherstnev 1492 173

Three-Band Selector for Determining the Velocity Distribution of Molecules in a Molecular Beam —I. S. Borovkov and É. P. Pavlov 1494 175

Quadrant Photomultiplier with External Electrodes —K. A. Gulgazaryan 1497 177

On the Logarithmic Light Response of the ÉLU-FL Photomultiplier —L. I. Andreeva, M. M. Egorov, V. V. Bacherikov, V. É. Kagain, Yu. A. Makarov, Z. M. Semichastneva, and B. M. Stepanov 1500 179

Influence of the Temperature on the Parameters of FÉU-86 Photomultipliers when They Are Stored —A. M. Potapov, A. E. Melamid, and A. P. Ivanov 1502 181

Photocurrent-Blocking Characteristics of a Photomultiplier —I. Z. Rutkovskii and N. N. Shavel' 1505 183

Suppression of Scattered Light in the Recording of Luminescence Spectra —M. U. Belyi, N. G. Musienko, and B. A. Okhrimenko 1508 186

Flashing Source of Microsecond-Duration Light —E. E. Fesenko, N. Ya. Orlov, and V. N. Kulakov 1510 187

High-Current Gas Lasers with a Mercury Cathode —I. N. Goncharuk, V. Yu. Davydov, and É. V. Chisler 1512 189

Obtaining Quasistationary Lasing from a Laser Based on Ruby or on Glass Containing Neodymium —T. A. Kuzovkova, E. V. Nilov, and A. A. Chertkov 1515 191

Silicon Photomagnetic Infrared-Radiation Receiver —B. Orazgulyev 1518 193

Investigation of Short Light Pulses by Means of Inertial Photoresistors —N. V. Alkeev and Ya. E. Pokrovskii 1520 195

High-Speed Spectrometer Based on an IKS-6 Monochromator —G. S. Denisov, O. D. Dmitrievskii, K. G. Tokhadze, and Yu. V. Ulashkevich 1522 197

Efficient Optical Isolator —V. I. Kovalev, V. I. Popovichev, V. V. Ragul'skii and F. S. Faizullov 1524 199

Calibration of an Optico-Electronic System for Measuring Brief Displacements —A. I. Kartashev and S. N. Ivashevskii 1526 200

Use of the Interference Method to Measure a Vibration Amplitude that is Larger than the Wavelength of Light —V. R. Zaslavskaya 1528 202

High-Speed Stereoscopic Investigation of the Motion Trajectories of Luminous Objects —É. A. Narusbek 1530 204

Cell for Investigations of Electron-Resonance Spectra at Quasihydrostatic Pressures of up to 100 kbar —T. I. Alaeva, L. F. Vereshchagin, V. V. Gvozdev, Yu. A. Timofeev, V. A. Shanditsev, and E. N. Yakovlev 1533 206

Thermostat for Research at High Pressures and Temperatures from 8 to 400°K Using the Nuclear Magnetic Resonance (NMR) Method —B. I. Obmoin and N. K. Moroz 1535 208

ESR Video-Spectrometer with a Crystal-Resonator for Investigations in a Wide Range of Pressures and Temperatures —G. N. Neilo, V. I. Petrenko, and G. A. Tsintsadze 1538 210

Measurement of the Pressure and Temperature in High-Pressure Chambers —Yu. D. Klebanov 1541 212

Sealing the Bottoms in Ultra-High-Pressure Vessels —A. A. Semerchan, A. A. Antanovich, V. V. Popov, Yu. A. Sadkov, M. A. Plotnikov, and A. P. Kurshin 1543 214

Semiconductor Strain Transducer—I. P. Zhadʹko, V. A. Romanov, and B. K. Serdega 1544 216
Devices for Compensating Atmospheric Pressure in Testing Machines—I. A. Gindin, S. F. Kravchenko, Ya. D. Starodubov, and V. P. Lebedev 1547 217
An Electronic Emission Microscope with a Grounded Cathode—M. V. Nazarov, V. G. Dyukov, N. N. Sedov, and G. I. Shelkovnikov 1549 219
X-Ray Tube Producing Soft and Ultrasoft Radiation with a Controllable Focus—N. S. Zinchenko and B. N. Zinchenko 1552 221
Attachment for the Direct Recording of the Electron-Diffraction Patterns of Gases—P. P. Barzdain, N. V. Alekseev, and N. P. Levkin 1554 223
Automatic Measurement of the Hall Effect and the Electrical Conductivity in Heavily Doped Semiconductors—B. F. Gruzinov and P. P. Konstantinov 1551 225
Nonrectifying Contacts with GaSb—M. K. Pugach, T. S. Goncharova, L. A. Volkova, and N. G. Ryabtsev 1559 228
Low-Ohm Low-Temperature Resistance Box—Ya. S. Kan and D. G. Tatishvili 1561 230
Monitoring the Thickness of Layers during the Process of Selective Accretion or Etching—D. I. Bilenko, Yu. N. Galishnikova, and A. I. Smirnov 1562 231
Growth of Filamentary Bi Crystals by Deposition from the Gas Phase—Yu. P. Gaidukov and N. P. Danilova 1565 234
Temperature Controller for the Growth of Single Crystals by the Czochralski Method Using Induction Heating—V. I. Petrenko and C. A. Tsintsadze 1567 234
Gardon Radiometer for Measuring Convective Thermal Fluxes—A. N. Boiko, V. M. Eroshenko, R. Z. Fridkin, and L. A. Yaskin 1570 237
Cryogenic System with a Variable Liquid-Helium Level—V. V. Permyakov and A. G. Demishev 1572 238
Stabilizer for Stabilizing the Temperature of Superfluid Helium near the λ-Point—V. F. Khirnyi and E. N. Malyshev 1574 239
Coupling Device for Cryogenic Microwave Cavity Resonators—B. R. Knyazev and A. I. Zykov 1577 242
Sweep and Modulation of a Uniform Magnetic Field in a Closed Superconducting Solenoid—V. V. Permyakov 1579 244
Nondetachable Economical Current Lead for Superconducting Magnetic Systems—V. V. Lavrova, D. G. Rachitskii, L. M. Fisher, and V. A. Yudin 1581 246
Installation for Investigating Cryogenic Electromechanical Instruments and Devices—I. D. Kolodeev, V. Ya. Kalinin, A. I. Sudovtsov, and T. G. Shevchenko 1583 247

ABSTRACTS

Vidicon Automatic System for Recording the Coordinates of Particle Tracks in Spark Chambers with Direct Coupling to an Electronic Computer—É. S. Belyakov, L. I. Bernshtein, V. A. Klevalin, B. A. Lebedev, A. V. Petrakov, and V. M. Kharitonov 1585 249
A Deep-Water Cerenkov Counter—V. M. Fedorov, Yu. N. Vavilov, and Yu. A. Trubkin 1587 249
Universal Transistorized Generator that Produces Precision-Amplitude Pulses—A. A. Mitin, G. N. Sofiev, and M. N. Tsygankov 1589 250
Discrete Sweep of the Mass-Spectrum with Respect to the Current of the Electromagnet with Automatic Recording of Ion Currents—S. P. Samsonov 1591 252
Suppression of the Diffusion of Oil Vapors from Mechanical Pumps by Means of an Air Stream—L. V. Falaleev and A. B. Tseitlin 1593 253
Anode Oxidation of Silicon Irradiated with Ions—N. N. Gerasimenko, A. V. Dvurechenskii, and G. M. Tseitlin 1595 254

REVIEWS OF INSTRUMENTS

Operating Characteristics of the KNK-53M Neutron Ionization Chamber—A. B. Dmitriev, E. K. Malyshev, N. I. Chipurenko, and O. I. Shchetinin 1597 255
Increasing the Reliability of a Digital Printer Based on the ÉUM-23 Typewriter—V. K. Ponomarenko, V. S. Miroshnichenko, and E. P. Serdyukova 1599 256

Expansion of the Dynamic Range of a Nanosecond Oscilloscope—E. N. Ragozin and V. A. Chirkov 1601 257
Use of the RMO-4S Omegatron for Measurement of Partial Pressures of Hydrocarbons—S. G. Gul'yanova, P. Grakhardo, A. A. Boltenko, and V. M. Gryaznov 1603 258
Elimination of the "Null" Error in Spectrophotometers by the Method of Double Modulation of the Source Flux—B. S. Vorob'ev and A. I. Kuznetsov 1605 260

NEW INSTRUMENTS
Broadband Calibration-Voltage Generator—Yu. V. Safroshkin 1607 262
NG-150 Neutron Generator for Activation Analysis—A. V. Andreev, I. Ya. Barit, L. T. Duev, Yu. B. Evdokimov, N. F. Ivanov, L. N. Katsaurov, A. N. Kuznetsov, I. M. Pronman, A. I. Solnyshkov, G. S. Tarvid, S. G. Tsepakin, and K. V. Yakshin 1607 262
High-Speed X-Ray Spectral Analyzers for Analyzing Chemical Composition—É. A. Ab and N. I. Komyak 1608 263
The IDA-2 and IDA-2M Dielectric-Absorption Meters—V. M. Nekrasov, Yu. A. Kozlov, and V. A. Blestkin 1609 264
A Photoresistor—A. I. Shirvaitis and A.V. Alishauskas 1611 266
Instrument for Analyzing the Composition of Mixtures of Ortho-Para Hydrogen or Deuterium—Yu. Ya. Milenko and T. K. Grigorova 1611 266
Remote Instrument for Measuring Microhardness—V. M. Mikhailovskii, A. K. Malik, V. A. Stratienko, and A. P. Eres'ko 1612 267
Manual Pump Rated at Up to 1 kbar—D. S. Mirinskii and Ya. I. Shurin 1612 267
Cryostat for a Flash-Photolysis Installation—E. E. Fesenko, V. N. Kulakov, and N. Ya. Orlov 1613 268
G-73 Instrument for Measuring the Intensity of Weak Alternating and Constant Magnetic Fields—V. V. Afanas'ev, Yu. P. Oboishev, S. A. Skorodumov, G. A. Tikhanov, and N. I. Yakovlev 1613 268
KRM-1 Small-Angle X-Ray Diffraction Installation—G. M. Koroleva 1614 269
F582 Alternating-Current Null-Indicator—G. M. Koroleva 1614 270
NO1OM Oscillograph—G. M. Koroleva 1615 271

Volume 15, Number 6, Part 1 November-December, 1972

Mass-Spectrometry of Ion Cyclotron Resonance (Review)—G. V. Karachevtsev and Yu. K. Khovanskii 1617 5

NUCLEAR EXPERIMENTAL TECHNIQUES
Linear 550 keV Proton Accelerator Having Asymmetrical Alternating-Phase Focusing—V. V. Kushin, B. T. Zarubin, V. V. Svirin, and N. M. Chistyakova 1628 15
Stabilization of the Particle Energy in Accelerators Having a Tuned Circuit—G. L. Dorofeev and V. G. Cherepkov 1631 18
Alignment of the Accelerating Electrodes in an Accelerator Having Quadrupole rf Focusing—V. B. Stepanov, A. P. Mal'tsev, I. A. Zhuravlev, V. A. Teplyakov, and V. S. Sevost'yanov 1634 20
Device for One-Turn Extraction of an Electron Beam from a High-Current Betatron—V. A. Moskalev and V. V. Shashov 1636 22
System for Controlling the Current of the Beam in a Linear Electron Accelerator—L. A. Makhnenko, L. D. Salii, and V. A. Skubko 1639 24
Measurement of the Transverse Velocities of Electrons in an Intense Stationary Beam—V. P. Ginkin, I. N. Meshkov, A. N. Skrinskii, and V. G. Fainshtein 1642 26
Monitoring High-Energy Electron Beams—V. A. Stratienko 1645 28
Universal Liquid-Hydrogen Target for Experiments with High-Energy Particles—L. M. Vasil'ev, Yu. P. Dmitrevskii, E. M. Kashtanov, and Yu. M. Mel'nik 1648 30

	Engl.	Russ.
Electrostatic Analyzer for Separating Fission Fragments – Yu. A. Arifov, A. D. Belyaev, V. I. Kogan, V. P. Pikul', R. V. Teplyakov, and A. M. Usmandiyarov	1652	34
Electrostatic Separator with a Semiconductor Cathode and Soft Electric and Magnetic Fields – V. A. Ergakov, I. I. Kryuchkov, V. A. Korolev, V. A. Lapikov, Yu. V. Trebukhovskii, V. A. Khar'yuzov, and G. A. Cheban	1655	36
Working Mode of a Streamer Chamber – N. S. Rudenko and V. I. Smetanin	1659	39
Semiautomatic Photometer for Determining the Charges of Heavy Cosmic-Ray Nuclei in Photonuclear Emulsions – V. N. Kulikov, G. Pyatigorskii, E. A. Yakubovskii, V. Varyukhin, Yu. F. Gagarin, and N. S. Ivanova	1662	42
Angular Characteristics of Glass Fission-Fragment Track Detectors – T. V. Koroleva and S. N. Kraitor	1665	45
Instrument for Counting Tracks on the Surface of Solid Track Detectors – V. E. Zaichik	1669	48
Ge(Li)-Detector with Separated Sensing Regions for Gamma-Spectrometry with Supression of the Compton Background – B. K. Akinchin, É. E. Pakhomov, A. L. Pakhomova, and O. P. Polytsya	1672	50
Measurement of the Thickness of the Sensing Region of Silicon Detectors – V. P. Selyutin, L. S. Kridiner, L. S. Gatsenko, and O. P. Fedoseeva	1676	54
Threshold Cerenkov Counter – A. P. Onuchin and S. I. Serednyakov	1680	57
Cerenkov Shower Spectrometer with a Conically Shaped Radiator Made of TF-5 Glass – A. A. Varfolomeev, V. I. Glebov, É. I. Denisov, and A. S. Khlebnikov	1682	59
Large Scintillation Counter Having a High Amplitude Resolution – Yu. N. Kuzin, I. P. Rapoport, and A. F. Titenkov	1685	61
Energy Resolution of Scintillation Counters with a Lightguide – V. S. Danilov	1688	64
ELECTRONICS AND RADIO ENGINEERING		
System for Automatic Collection and Handling of Experimental Data, Which Is Based on the "Nairi" Electronic Computer – L. B. Luganskii	1690	66
Use of Electronic Keyboard Computers in Automated Installations – A. G. Mityugov and V. P. Volkov	1692	68
Handling Spectra from Semiconductor Detectors in a Semiautomatic System Containing Storage Devices and an Electronic Computer – R. Arlt, G. Winter, S. V. Medved', G. Musiol, A. N. Sinaev, Z. A. Usmanova, D. Fromm, N. A. Chistov, and Kh. Shtrusnyi	1696	71
Memory Matrices Based on Ferrite Rings for Spark Wire Chambers – Yu. D. Karpekov, V. F. Konstantinov, G. P. Makarov, A. N. Prokhorov, and Yu. N. Simonov	1708	83
100-MHz Transistorized Decade with a Commutator – V. V. Kurbasov and N. M. Lypkan'	1711	86
Sign-Coincidence Correlator with a Discrete Delay Line – B. A. Kozelov and P. A. Shevchenko	1714	88
Bipolar Integral Discriminator That Is Controlled by a Binary Code – V. E. Yamnyi, V. V. Shlyakhtin, and M. V. Komar	1716	90
High-Speed Comparison Device Having Low Hysteresis – Yu. V. Blinkov, A. A. Zhadaev, E. A. Lomtev, and V. M. Shlyandin	1718	91
Amplitude Selector for Linear Transistorized Devices – V. N. Gubarchuk	1719	92
A Linear Threshold Device – A. A. Ostapenko and G. S. Odinets	1722	95
Charge-Discharge Device for Amplitude-Time Converters – V. P. Dygai, Z. V. Magrachev, and B. K. Tsygankov	1724	97
Five-Channel Scale-Time Converter – Yu. M. Gerasimov, L. V. Derbunovich, O. I. Potepukh, and O. N. Suetin	1727	99
Linear Extender of Repeating Time Intervals – V. N. Gubarchuk and B. A. Shumanskii	1730	102
System for Stabilizing an Adding Compton Spectrometer – V. B. Ivanov, A. G. Leshchinskii, A. M. Shimanskii, and V. I. Shipilov	1733	104
Stabilization of a Receiving-Amplifying Path Containing a Photomultiplier – G. A. Gladkikh, V. G. Panov, I. P. Pakhomov, and P. D. Chichik	1737	107

High-Voltage Generator with Controlled Length of the Pulses—V. B. Lebedev, V. L. Milovidov, and O. V. Milyutin 1739 109
Generator with a Variable Program of Pulses for Controlling a Camera with an Image Converter—T. S. V'yugina, Yu. A. Drozhbin, G. V. Kolesov, and V. B. Lebedev 1741 111
Electron-Optic Shutter Having a Microsecond Duration—E. M. Davydov and V. A. Mishin 1744 114
Unitized Output Shaper in Fast Electronic Circuits—S. G. Basiladze 1746 116

Volume 15, Number 6, Part 2 November-December, 1972

The Shaping of High-Voltage Pulses Having a Short Length—O. S. Kolotov and M. I. Lobachev 1753 121
Linear Electron-Beam Sweep Having a Subnanosecond Duration—T. A. Kuz'mina, P. A. Tarasov, and V. A. Frolov 1756 123
Measurement of the Parameters of High-Voltage Nanosecond Pulses by the Electrooptical Method—G. V. Kolesov and V. B. Lebedev 1759 125
Compensated Modulator Based on Field-Effect Transistors—V. G. Zubov and D. A. Yurkovskii 1761 127
Parameters and Energy Resolution of Field-Effect Transistors at Room Temperature —V. A. Tret'yakov and T. I. Pavlova 1764 129
Use of IN-6 Gas-Discharge Tubes as Indicators of the State of Integrated Circuits —A. A. Kristin and É. É. Tardenaks 1767 131
Recording Radioactivity Distribution on a Photographic Film—V. N. Bobrova, O. A. Rys'ev, and N. A. Surov 1769 132
Amplifier and Coincidence Circuit for a Photon Counter Having a High Time Resolution —V. V. Kurbasov and V. Ya. Manzhura 1771 134
Broadband High-Frequency Power Amplifier—G. B. Zhegalov, O. F. Pavlenko, and V. V. Polevoi 1774 136
Instrumentation Amplifier with Modulation of the Input Signal—A. I. Vorozheikin, I. R. Dobrovinskii, E. A. Lomtev 1777 139
Thermally Stable Electromagnetic-Sweep Current Amplifier—I. F. Bursov, I. I. Zadubovskii, and B. N. Krasnogolovyi 1779 141
A Null Detector—V. F. Boreiko, V. M. Grebenyuk, and V. G. Zinov 1782 143
A Phase-Instability Meter—Yu. M. Veshkurtsev 1784 145

GENERAL EXPERIMENTAL TECHNIQUES

Magnetic Resonance Mass-Spectrometer for Studying the Isotopic Composition of Helium —B. A. Mamyrin, B. N. Shustrov, G. S. Anufriev, B. S. Boltenkov, V. A. Zagulin, I. L. Kamenskii, I. N. Tolstikhin, and L. V. Khabarin 1787 148
Increasing the Sensitivity with Which Helium Leaks Are Detected by a Mass-Spectrometric Leak Detector in Tests for Vacuum Tightness Using the Probe Method—N. I. Kalinin, L. D. Murav'eva, and V. V. Pimenov 1790 151
Selection of Photoelectron Multipliers for Measurement of Low Integral Anode Currents —Yu. S. Belle, L. I. Zlobin, and G. L. Moroz 1792 153
Anode Sensitivity and Anode Characteristic of a FÉU-86 Photomultiplier—A. M. Potapov, A. E. Melamid, and A. P. Ivanov 1794 155
Method of One-Electron Measurements—G. A. Kibal'chich 1796 157
Matching of the Shutter and Deflecting Systems of a PIM-3 Image Converter with a Control Circuit—G. I. Bryukhnevich, M. M. But-slov, and M. Ya. Shchelev 1798 158
Gas Insulation of an Image Converter—G. G. Petrov and M. G. Sosonkin 1803 163
Pulsed Gas-Discharge Source of Radiation with an Increased Rate of Growth of the Light —Yu. G. Basov, N. M. Zykova, V. V. Kubyshkin, and V. V. Sysun 1804 164
Sealed CO_2 Laser Having a Long Service Life—P. A. Bokhan 1807 166
Tunable Laser Based on a Solution of an Organic Dye, Which Has a High Monochromaticity and Stability of One-Frequency Generation—V. I. Revenko and V. B. Timofeev 1809 168

Extraction of Second-Harmonic Radiation from a Laser Resonator—Yu. A. Gorokhov and D. P. Krindach 1811 170
On a Prismatic Dispersion Resonator for a Laser—M. A. Novikov and G. T. Smirnov 1814 172
Holographic Versions of a Refractometer and Reflectometer—I. F. Budagyan, V. F. Dubrovin, S. N. Kamlyuk, D. I. Mirovitskii, and V. V. Usatyuk 1817 174
Holographic Photography of Fast Processes Using Paired Radiation Pulses—E. A. Kuznetsova, B. M. Stepanov, and V. Ya. Tsarfin 1821 177
Use of Lateral Illumination for the Holography of Small Objects—V. M. Ginzburg, E. A. Kuznetsova, Yu. F. Solvyanov, and V. Ya. Tsarfin 1824 179
Vibration-Resistant Holograph Table—S. K. Efimov and N. S. Merzlyakov 1827 181
Optical Properties of Selenium Polarizers—É. É. Klotin'sh, V. K. Petrov, and I. A. Feltyn' 1829 183
Installation for Measurement of Magnetic Susceptibility by the Faraday Method—S. G. Osipova and V. N. Zhukov 1831 184
Choice of the Dimensions of the Solenoid of a Generator that Produces a Pulsed Magnetic Field—V. A. Zakharov 1833 186
Dilatometric Device for the Control of Submicron Gaps—I. L. Gufel'd and V. V. Postnov 1836 188
Method for Creating Anisotropic Elastic Deformations of Single Crystals—N. B. Brandt, N. Ya. Minina, and V. F. Keptya 1838 189
Installation for Research at High Pressures—V. A. Ivanov, I. N. Makarenko, S. M. Stishov, and V. I. Fedosimov 1841 191
Cell for Mixing Reagents under High Pressures—G. P. Shakovskoi, B. S. Él'yanov, and I. A. Lavrov 1844 194
Multichannel High-Pressure Electrical Input Terminal—V. A. Ivanov, I. N. Makarenko, and S. M. Stishov 1846 195
Low-Frequency Installation for Measuring Internal Friction—E. V. Borisov, G. A. Vedenyapin, and L. V. Smirnov 1847 197
Compact Pulsed X-Ray Tube with a Self-Restoring Autocathode—É.-G. V. Aleksandrovich, N. V. Belkin, M. A. Kanunov, and A. A. Razin 1850 198
X-Ray Thermostatically Controlled Chamber for Structural Investigations of Alloys and Solutions—V. V. Andrushkevich, I. G. Chistyakov, and A. N. Veselov 1852 200
Field-Ion-Microscopic Investigation of the Dynamics of a Surface—M. M. Butslov, A. F. Bobkov, N. D. Grishin, G. M. Kukavadze, B. Ya. Kuznetsov, T. L. Razinkova, and A. L. Suvorov 1865 204
Preparation of Samples of Epitaxial Silicon Films for Measurements by the Van der Pauw Method—K. Szomody 1859 206
Installation for Measuring the Free Surface Energy, the Contact Angle, and the Density of Melts by the Lying-Drop Method—Yu. N. Ivashchenko and G. P. Kilya 1861 208
Receiving-Amplifying System with a Superconducting Bolometer—N. A. Pankratov, G. A. Zaitsèv, and I. A. Khrebtov 1866 212
Thermocouple for Low Temperatures, Which Has an Electrode Made of Copper + Iron Alloy—V. M. Beilin, I. Ya. Levin, L. A. Medvedeva, M. P. Orlova, and I. L. Rogel'berg 1869 215
Creation of an Acoustic Contact in Investigating Polymers in the 2.1-240°K Temperature Range—I. I. Prepechko and P. D. Golub' 1871 216
Automatic Gas-Flow Controller—V. M. Bulakh and V. I. Trofimov 1872 217
Cathode-Sputtering Installation for Obtaining Films with a Low Impurity Constant—V. P. Belevskii, V. P. Zabrodskaya, Yu. G. Kononenko, and V. I. Shpig 1874 219
Obtaining Thin Plastic Rhodium Foils—V. N. Medyanik and G. V. Shula 1876 221

ABSTRACTS

Volt-Ampere Characteristics of Ionization Chambers—N. G. Volkov, G. M. Gorbachenko, V. K. Lyapidevskii, and V. I. Ryzhkov 1877 222
Operation of an AI-100-1 Amplitude Analyzer as a Multichannel Scaling Device—M. I. Afanas'ev and A. L. Bortnyanskii 1880 223

Collection of the Parameters of a Light Modulator for Laser Having External Spherical Mirrors—T. N. Zubarev, A. K. Sokolov, and L. I. Yudin 1882 224

REVIEWS OF INSTRUMENTS

Device for Stabilizing an Emission Spectrum—V. I. Klimenko 1883 225

Stabilized Current Source Based on a UIP-1 Unit—V. R. Fedorov 1884 226

NEW INSTRUMENTS

Compact, Transportable Electron Accelerators—A. K. Berzin, V. E. Kovalev, E. A. Ostroumova, E. V. Suvorov, and I. A. Khaustov 1886 227

Manual Controller for Debugging Blocks in the "CAMAC" Standard —N. M. Nikityuk 1886 228

Measurement-Information Recorder-Analyzer—V. S. Ekaterinin and O. V. Nauman 1887 229

Bench for Stroboscopic Oscillographing, Which has Automatic Setting of the Time Scale—E.-A. K. Bagdanskis and A. I. Naidenov 1888 231

A "Box" of Discrete PhaseValues—I. Sh. Solomonik and K. M. Shul'zhenko 1889 232

The BPZ-2L Shutter Power Supply Block—G. V. Kolesov, V. B. Lebedev, V. A. Nefed'ev, and V. I. Pugaev 1889 233

The IED-30 Meter for Measuring the Capacitance of Semiconductor Diodes —V. S. Blagoveshchenskii 1890 233

The F590 Generator That Produces a Series of Discrete Frequencies—G. M. Koroleva 1890 234

High-Speed Automatic Pen Recorders of the N327 Type—G. M. Koroleva 1891 234

Bench for Stroboscopic Oscillographing, Which Has Automatic Setting of the Amplitude Scale—E.-A. K. Bagdanskis and A. I. Naidenov 1891 234

INDEX

Author Index, Volume 15, Numbers 1-6, 1972 1895

Tables of Contents, Volume 15, Numbers 1-6, 1972 1907

D 0652